### WE MAKE CHOICES. WE KNOW HOW TO AND WE BELIEVE IN THEM.

今シーズン、我々は変化する道を選んだ。 我々は、どうすればいいかを知っている。そして、完成したフレーム達を我々は信じている。

今ここに、それぞれのモデルについて、我々の想いをお伝えする。

2016 シーズン、650B のダウンヒルマシンに新しい進化が訪れた。我々の自信作については、本文を是非ご一読頂きたい。

コメンサルが世界に誇るベストセラー 650B フルサス、META AM と TRAIL。エンデューロでは、META AM。里山では、META TRAIL。どちらの META V4 も、我々の分身であり、礎である。META は、世界中のプレスやメディア、トップレーサーにその外観の美しさと、性能を支持され、世界中 を席巻。時には、エンデューロで結果を残したいレーサーが挙ってライド。時には、仲間とのセッションやフォトシューティングでリスペクトされたいマニアがライド。 いかなるシーンでも、美しく、速く、だれよりもスタイリッシュに。まあ、誰もが出来るわけではないが、META AM に跨れば誰でも出来る可能性がある。 我々は、このフレームに誇りを持っている。あなたとともに、この META がやってくれる。バイクパーク、エンデューロやトレイル、どんな地形の山でも自 由に走れるようになる。そして、あなたはどちらを選ぶ?自己主張の塊、イエローカラーの閃光?情熱溢れる魂のレッドカラー?

我々は、このキーワードで全く新しい世界を創出した。世界中のトレイルライダーが歓迎するであろう。レーサーとは違う趣向の特別なアートワークデザイン。 

たひとつ、違った角度からの山へのアプローチ。ライダーと山の共存。コメンサルを好きではなかった人も、これを理解するはずだ!

#### ・子供たちへむけての、ダウンヒルバイク

聞こえてくる、子供たちの歓喜の声。世界中の子供たちに、ダウンヒル界の先駆者である我々はなにができるのか。

そう、誰もが予想しなかった開発方針を打ち立てた。 SUPREME 20 / SUPREME 24 / SUPREME Jr. が生まれ変わった。 今、世界中のMTBファ ミリーの中では、こう言われていることをあなたは知っているか?『サンタクロースが来た!』ではなく、『COMMENCAL が来た!』と呼ばれていることを。

もうひとつの、コメンサルハードテイルをあなたは忘れていないか?もう一つの、セミリジットバイクと呼ばれるジャンル。その存在が、それ自体が、唯一のマー ケットを作り出した。Supernormal が、その復活を遂げた。もちろん、復活すること自体、極めて Nomal (普通)の状況だが。 すべてを超越した存在、それが Supernomal だ。

2016 も、我々コメンサルの世界へ来てくれてありがとう。

転車販売店様への輸入卸業のため、ユーザー様への直接販売を行っておりません。


● 商品に関するお問い合わせ・クレーム等はご購入頂いた販売店様へお願い致します。

Max Commencal





DOWNHILL





#### WEMAKECHOICES. WEKNOWHOW TO AND WEBELIEVE IN THEM.

今シーズン、我々は変化する道を選んだ。 我々は、どうすればいいかを知っている。そして、完成したフレーム達を我々は信じている。





2016シーズン、650Bのダウンヒルマシンに新しい進化が訪れた。 大胆なチェーンレール。革新的なリアホイールの軌跡。遠くから見ても、特異なシルエット。 すべてのアイデアは、我々の心の中から生まれ育ち、そして今、解き放たれた。 我々の信念とアイデンティティであるジオメトリは、コメンサルライダーによって描かれてい る。ジオメトリは、毎年変わるもの。あたかも真っ白な図面が、設計変更で真っ黒になって いくように。その繊細な作業の結果、ここまで独創的なデザインのフレームが完成した。 我々は、大胆で自由な開発が出来たことを誇りに思い、最終的に勝利をつかむ。 結果は単純。簡単に言えば『一番美しく、そして一番速い!』 もう一度言う、我々はSUPREME DH V4 を、誇りに思っている。


#### こんな構造見たことない!?

大胆で思い切った設計思想、独自のレースからのフィードバックルール、レーサーの本能 を頼りに開発を続け、次世代ダウンヒルバイク SUPREME DH V4 が生まれてしまった。 ここアンドラの地で、我々は完全にレースに勝つことのみをベースに、Supreme DH V4 をコメンサルの「新しい未来」を担うベストセラーとして開発。

明らかにスピードが落ちずに、加速が良いこと。このために、我々はより良い路面追従性 のためのコンタクトシステムHPP(High Principal Pivot=位置が高い重要な中心軸) に焦点を当てて、サスペンションの位置や動きを設計。

リアホイールの可動域曲線は優れたグリップとショック吸収性を両立している。

また、簡単にジオメトリを変更可能にした構造は、表彰台のトップをねらうハングリーなライ ダーを支援するために開発された。



# 「そして 2016 Supreme DH V4 が生まれた」

# **DOWNHILL**

コメンサル社の創業者、Max Commencalはこう語る。

「ダウンヒルは、自動車の世界で例えると、F1レースのようなものだ」。 そしてSUPREME DH V4は、ダウンヒル界の常識をひっくり返すために 誕生。そのジオメトリとHPPコンタクトシステムによって世界中が驚いた。 2015年9月、アンドラでのダウンヒル世界選手権で正式に公開された V4は、我々だけでなく、集まったレーサー、報道陣、そしてあなたを驚愕さ せるほど美しく、そして速く、興味深い構造のフレームである。手元に届く

そして、4年前から世界中のDHレースを舞台に数多くのポディウムを獲 得した実績をたたえ、またそのシンプルな構造ゆえに信頼性が高いため、 SUPREME DH V3は、相変わらずあなたの選択肢のど真ん中に居を すえる。 SUPREME DH V3 PARK26も健在。MTBリゾートや、バイク パークはすでに興奮に満ち溢れている。



## **SUPREME DH V4** Essential RS







**TECHNOLOGY** 

DOWNHILL















完成車価格 ¥549,800(税抜) VIPフレーム価格 ¥319,800(税抜)

SIZES S / M / L COLOR 完成車: Full Black Matt









#### **VIP SUPREME DH V3** Limited


VIPフレーム価格 ¥299,800(税抜)

SIZES S / M / L COLOR Neon Yellow Matt

Team Name; COMMENCAL/Vallnord DH Racing Team、 別名:the Riding Addiction(乗馬中毒の意)

Riders:
Rémy Thirion=地元アンドラの英雄、2013ワールドカップ優勝。
Myriam Nicole=通称Pompon、誰もが振り返るライディングと美貌、そして納得の実績。
Ruffin兄弟=マネージャー兼ライダー。
より承軟に、より柔軟に、よりそしく、そして唯一の存在感。これがこのチームの宝。

«Be beautiful and ride fast,' a successful objective».



**AM ENDURO** 

# **ALL MOUNTAIN ENDURO**

乗ってしまった誰もが…METAを愛してやまない。

このバイクはエンデューロ界の革命児であり、誰もが忘れることが出来ない存在となった。2016モデルは、ROCK SHOXブランドイメージの赤色が革命をおこす。こ の仕上がりの良さに誰もが嫉妬、手に入れたあなたは幸せ。

パープルバージョンはみんなにもう一つの選択肢を与えた。そう、まるで反乱軍のよ

さらに、我々の愛するMETA AM HT(ハードテイル)は、あなたの心に宿る反骨精 神を絶やさないために存在する孤高のバイク。

神を避べるないために存在する孤高のハイラ。 我々の心に宿る反骨精神。それらをさらに具現化したのが META HTの新モデル、 Cr-Mo Purple シリーズ。それは大胆なデザインと狙いすましたエンジニアリング、ハードテイルの持つ剛性感と、ショートストロークサスペンションバイクのような接地感。 コーナリングスピードの高さ、すべてのラグジュアリー感を持ったモデル。

そう、流行り廃りのない、ただ基本的なMTBに対するニーズを形にしたモデル。 どのバイクも、恐ろしいまでのコーナリングスピードとコーナー脱出時の加速力、効 率性、力強さがあり、まさに"レーシングビースト"である





# META V4 FRAME TECHNOLOGY

2005年に生まれた当時、METAは本当に「エンデューロ」と呼べる最初のバイクの一 つであった。鋭いペダリングで登りをこなし、厳しいダウンヒルの際も貴方の顔に大き な笑顔が浮かぶ、そんな新世代のバイクだった。

それから毎年、数ミリ単位のジオメトリの変更も含め、METAは進化してきた。伝説の METAの第四世代、META AM V4は、兄に当たるMETA AM V3を大きく超える事 が命題であった。全体的なパフォーマンスと多用途性の改善が大前提であることは言 うまでもない。さらに改善させる必要があるとするならば、それはペダリング効率だろ う。COMMENCALは激しくクランクを回した時に、より能動的で効果的なバイクを欲 していた。META V4に乗って脚を回していただければ、間違いなくCOMMENCAL バイクだと感じていただけるだろう。楽しさと、パフォーマンスと、上品さを錬金術で組 み合わせた、我々のDNAがそこには漂っている。

#### <ジオメトリ>

コメンサルは、ジオメトリには非常にこだわる。妥協はしない。 これは我々の"ルール"であり"ルーツ"だ。

毎日のように我が社のスタッフは、勾配がキツく、岩がゴロゴロしているテクニカルなピレネー山 脈のトレイルを走っており、それがMETA AM V4のジオメトリに色濃く反映されている。

我々にとって、エンデューロバイクとはペダルを漕げるダウンヒルバイクである。猛スピードでダウ ンヒルする為には、すばやく登坂せねばならない。META V4は、ペダリング時、特に長い登りや 急な登りの際、最適なポジションとなるよう、シートチューブアングルを立たせた。トップチューブ長 は、運動性能とダウンヒルポジションをうまく掛け合わせる為、50~60mmステムの使用を前提

低いBBハイトにより、テクニカルなトレイルにおいて、バイクとの一体感を感じていただける。落 差の激しいトレイルも、66°のヘッドアングルのおかげで、META V4には問題にならない。ヘッド アングルに加え、438mmのチェーンステーが逆キャンバーでのグリップと、高速トレイルでの信 頼性を両立させている。あなたのライディングスタイルや、お気に入りのトレイルによって、All Mountain向けには150mmトラベルのフォークを、よりエンデューロスタイル寄りのライディング には160mmトラベルへとステップアップすることができる。

#### <フレーム設計>

COMMENCALはアルミニウムを採用している。META V4は素晴らしい機械特性を求め、 6066アルミを用いている。また、すばらしい耐久性を提供する為に、熱処理やショットピーニング で慎重に組み上げられる。アルミ=安いフレームではない。META V4はテクノロジーの集合体 である。全てのチューブがトリプルバテッドであり、特に重量と信頼性の比率が最適になるよう成 型される。運動学とジオメトリーを完璧に両立するために、すべてのリンクは溶接後に機械処理 される。アクスルは全て7075アルミから製造され、耐久性と精度を目的とした大口径ベアリング と合わせて最高のパフォーマンスを発揮する。

META V4はMETA V3とは別物だ!それは間違いない。その思惑は、フレーム構造の簡略化 と、それに伴うフレーム重量の最適化である。ショックを除いた状態で3.0kgと、V3よりも確実に 軽くなっている。軽くするのは簡単だが、コメンサルにとって、最優先事項が信頼性である。山を 一周するようなロングライドに出かけた際、歩いて帰りたくはないだろう? コンパクトなリンケージと シンプルなドロップアウトを用いることにより、COMMENCALは信頼性を犠牲にすることなく、軽 量化を達成する新たな手法を見出した。トップチューブは3ピース構造であり、フレーム構造の心 臓部である。ショック用トンネルはトップチューブに支えられている。そのトンネルのおかげで、快適 な乗り心地と、先進的な外見を生み出す非常に低いスタンドオーバーハイトを確保している。 ショックはフレームのかなり高い位置にあり、ライダーによる操作が容易である。

.....

リアトライアングルは剛性の最適化を狙ってデザインされている。META V3より3割も硬くなっ たとか、そういうワケではない。実際には、前モデルよりもやや柔らかくなっている。 COMMENCALは、剛性とはバランスの事だと考えている。より剛性の高いフレームは、非常に キビキビした乗り味となるが、それは同時に、木の根っこや岩、逆キャンバーでグリップしないもの となる。これが、COMMENCALが剛性を考える上で常に最適点を模索する理由である。故に COMMENCALの剛性チューニングは、あらゆるコンディションにおいて最高のグリップ力を提 供し、あなた方のタフなライディングに耐える精度を誇るのだ。

META V4はディテールによく注目して欲しい。インテグラルケーブルパスはより効果的にワイ ヤー類を保護し、非常にスッキリとした外観になるよう、さらに改善された。 2重のチェーンステー プロテクターは、可能な限りシンプルなメンテナンス性を保ったまま、ディレーラーワイヤーガイドを 兼ねている。見た目もスマートで、軽量である 1X 専用設計。一度このシステムを体感すれば、 二度と 2X には戻れないだろう。

.....

#### <コンタクトシステム>

いくつかあるパラメーターのうち、コンタクトシステムこそMETA V4の要である。前モデルの META AM V3のような、4バー・リンケージを基に、この新型コンタクトシステムはバイク総重量 と、全体的な動き、ショックの全トラベル域での最適化を目指してデザインされている。幾何学的 に良い動きが、良いホイール軌道となるとは言えない。META V4は従って、非常に高い位置に ピポットを配置し、ホイール軌道を最適化している。その結果として、バイク全体の動きを改良する ことにもなった。新しいショックの取り付け位置は、ライダーがショックを操作しやすいだけでなく、 市販のピギーバック式ショックを選択しやすくなった。皆がリモートをハンドルに付ける事を好んで いるわけではない。ショックのポジションをライダーにより近い位置にする事で、あなたが必要とす る最適なセッティングを選択しやすくなった。COMMENCALは4バー・リンクシステムを信じてい る。その理由はトラベル全体を通してサスペンションレートを完璧に調整できるからだ。META V4 はグリップとペダル効率の両方を最適化するため、運動学に沿って新たにデザインされた。確か にV4はより先進的であり、そのグラフ曲線はSAGにおいてV3より硬いライディングを提供する。 リアホイールは150mmトラベルである。その結果どうなったか?素晴らしい運動性に、素晴らし いグリップが組み合わさった。忘れないで欲しいのだが、我々がマウンテンバイクに乗り、全体的 なパフォーマンスを向上させるためにはグリップが必要である。さらに付け加えると、リアショックは 感度向上のため、ベアリング付きのU字リンクに取り付けされている。

コメンサルでは、フレームの信頼性と開発につい ては非常にこだわっている。信頼性は我々の最 優先事項だ。フレームはコンピューター解析に よって、可能な限り軽量化しつつ、どんな使用下 でも破損しないよう設計される。COMMENCAL はいくつかのテストマシンを独自に開発し、フレー ムの使用状況を再現し、それを基にデザインして きた。フレームへの負荷や疲労テストの限界点を 非常に高い基準に設定し、あらゆるライダーが安 全にライディングできることを保障している。ひと まず、そのフレームに欠陥が無いことが結論付け られた後、チームライダーやCOMMENCALス タッフがそのフレームに乗ることを許され、その最 適化作業を始める。META V4については、最適 な剛性バランスとジオメトリの調整に2系統の全 く違ったサンプルのアプローチが必要であった。 COMMENCALは最高のMETA AM V4を生 み出す為に協力してくれたNico QUERE, Pierre- Edouard FERRY, Jeremy ARNOULD& COMMENCALテスター達に、感謝の意を表し





#### **META AM** Essential

完成車価格 ¥699,800(税抜)

SIZES S/M/L COLOR Neon Red / Black Matt





言うまでもなく、魅力的なフレームに魅力的なコンポとパーツチョイス。 このEssentialグレードにもなれば、より高く飛べる。より遠くまで行ける。そのための装備は怠らない。乗りやすさ を最優先し、このバイクを設定。フレームは勿論のこと、サスペンションにこだわりを見せるモデル。フロントは ROCK SHOX PIKE 160ミリ、リアはROCK SHOX Monarch。 結果、驚くべきスムースさを手に入れた。さらに ROCK SHOXのReverbシートポストを装備し、地形のアップダウンにも対応。これは、シンプルだが楽しめる装備だ。もちろん、フロントギアは1 x、メインパーツはRIDE ALPHAのコクピットとホイール(チューブレスレディ)。



#### **META AM** Purple

完成車価格 ¥749,800(税抜)

SIZES S/M/L COLOR Purple / Black Matt







2016シーズン、我々は新しいシリーズを加えた。 レースに行かずに人里離れた山に行く人のためのラグジュアリーシリーズ「Purple」にのシリーズは単に色のオブションではない。反骨精神の固まりといっていいほどのデザインをまとい、その紫色で統一されたマシンは誰もが振り返る!完璧なデザインと洗練されたコーナリングは、所有する人に対する脅迫観念(もっと速く、もっとスタイ リッシュにリと言わしめるほどの仕上がり。パーブルシリーズは、本当にMTBを愛する一部の人のためだけに設計されている。このシリーズ以外の多くのモデルは、レース会場やショーイベント会場向きである。パフォーマンスと結果重視のものづくり。これとは対照的にMETA AM Purpleは、マニアックな、一風変わったものづくりがコン セプト。細かい部分にこだわりを持つあなたに喜びを与えることこそ、使命と考える。実は、万人受けを狙っていな いデザインかもしれない。しかしながらいつでも我々は、スタイリッシュでなければならない。

「フリーライド」「フリースタイル」。そう、この「自由」という言葉がぴったりなモデル。

**V4 TECHNOLOGY** 

**AM HARD TAIL** 



## **META AM** Origin RS





META AM V4 の世界へようこそ。このバイクが META のウェルカムゲートだ。エンデューロの世界基準になぞらえると、このフレームは、おそらく最高のパフォーマンスをもつ。META AM の原点となるこの Origin モデルではあなたが必要とするものがすべて備わる。非常に快適で信頼性の高い Rock Shox フロントフォークを装備し、リアには調整幅の大きい X-Fusion サスペンションを備えている。フロントギアは、シンプルな 1X(シングル)、リアのロー側はビッグカセットスプロケットを備え、コックビットは RIDE ALPHA。ホイールはチューブレスレディ。



#### **VIP META AM** Limited







## **META HT AM** Essential RS

完成車価格 ¥329,800(税抜) フレーム価格 ¥89,800(税抜)

SIZES S/M/L COLOR Neon Yellow / Black Matt





もし、あなたが限られた予算で MTB を購入するなら… 同じ価格帯であれば、廉価なフルサスペンションバイクより優秀なハードテールバイクを選択した方が良いと思う。具体的に言うと、この META HT AM Essential は、650B ホイールの特長を生かしきったハードテールエンデューロバイクだ。このバイクは、下り坂を征服する能力の高さ、すなわち耐久性、耐衝撃性、剛性などを優先して設計され、ハードな衝撃に耐える能力を備えている。要するに、こいつは、最近流行の、遊び心いっぱいの下りを楽しむバイクということ! 長いストロークのフォークであったり、チューブレスレディのホイール(低圧=グリップカ重視)、テレスコピックシートポスト、RIDE ALPHA コックピットを装備。このバイクは、今シーズン敵なしとなってしまった。



## META HT AM Origin





8 ALL MOUNTAIN ENDURO

**AM HARD TAIL** 







## META HT AM Cr-Mo Purple

完成車価格 ¥549,800(税抜) フレーム価格 ¥149,800(税抜) SIZES S/M/L COLOR Purple / Black Matt







#### 2016 シーズン、META Cr-Mo シリーズにも「パープル」と呼ばれる新シリーズを創出!

新設計のこのフレームは、デザイン重視の単なる細身のクロモリではない。リアタイヤをいかに効率よくグリップさせることが出来るか。シートステーとシートチューブをあえて溶接せずフリーにし、しならせる部分と 固める部分を明確化。パーブルシリーズ共通のデザインをまとい、その独特の形状と相まって誰もが振り返る!コメンサルならではの洗練されたコーナリング、所有する人に対する満足感。 本当にMTBを愛する一部の人のためだけに設計されているクロモリ。









META HT AM Cr-Mo

完成車価格 ¥199,800(税抜) SIZES S/M/L COLOR Black / Neon Yellow Matt

※形状は上の Purple とは異なります。

META HT AM Cr-Mo (Limited) フレーム価格 ¥79,800(税抜)

※形状は上の Purple とは異なります。

SIZES S/M/L COLOR Black Matt



# XC/TRAIL

誰もが、いつもいつも標高の高いスキーリゾートで落差をたのしむわけではない。あなたが日常の中で、 離もが、いつもいつも標高の高いスキーリソートで落差をたのしむわけではない。あなたか日常の中で、 効率的なペダリングで登り、安全に早く下りを楽しむ。コレが本物のマウンテンバイクライド!このスター ルが、MTBの最大の楽しみを持っているのは明白!それに適したバイクは、軽くなければならない。無尽 蔵な楽しみがトレイルとこにでもあるべきだ。したがって、我々はトレイルに適した META TRAIL のフ ルサスジオメトリと、ハイエンドパーツを組み合わせてこれを実現。妥協は許さない。120mmトラベルの X-Fusion Velvet、これは純粋なトレイルフォークだ。XCではない。META TRAIL に乗って、タフな トレイルを味わうことが出来ることができるあなただけに、このフレームが持つ登坂性能とコーナリング 時の脱出速度の速さ、それらを堪能する悦び、これらをプレゼントしよう。我々は、わかっている。あなた

が META の慮になってしまうことを。 ズバリ言うと、CALLA (40km 以上のトレイルライド、1,000m クラスの標高差の攻略が目的だ。そう、あ のロック・ダジュール (フランス) イベントに行くときに使うバイクである。 また、余骸ではあるが・・・Supernormal がない COMMENCAL ラインナップとは何?みんなにそう言わ れた。それは Nomal (正常) ではない!だから、復活を遂げた!そのニッチでかけがえのないXCソフトテー ル。やはりこれしかない。いずれにせよ、シングルトラックや稜線沿い、オンロードでさえも・・楽しみに変 え、あなたがそうしたいと思ったもの、それになりたいものは何でもすることができるバイク。

#### **META TRAIL** Limited

完成車価格 ¥419,800(税抜)

VIPフレーム価格 ¥299,800(税抜) SIZES S/M/L









#### **SUPERNORMAL** 29er

完成車価格 ¥329,800(税抜) SIZES S/M/L COLOR Silver Matt





COMMENCAL 社の創業は 2000 年である。そのころから、Supernomal は存在している。なぜ Supernomal だけが? それは普通を越えた普通のバイク(=Nomal) だからだ。なんでもできる。どこにでも行ける。それが、まさにスーパーと冠がつく理由なのだにこの存在があり続けるために、いくつかの要因が絶対に不可欠である。 計算しつくされたジオメトリ、そしてスロービングフレーム。 軽くて、強いトリブルバテッドアルミニウム。そして、高性能プロントフォータ RockShox REBA 100mm との組み合わせ。このこだわり、それ以外は言わなくでもわかるだろう。リアサスペンションなしのフレームでは、29 インチの車輪の優位性は誰もが知るところ。この 29er フレームは、より高いグリップカと快適性を併せ持ち、トレイルバイカー全員を頷かせることができる、自信の一品だ。

12 XC/TRAIL SUSPENTION

650B

# **SPORTS**

COMMENCALで「エントリーレベル」は、「ローエンド」という意味では決してない。COMMENCALのコーナリング重視のジオメトリは、このバイクの価値を高めるとともに、あなたにとって初めてのバイクが唯一無二の存在となり、あなたの人生を豊かなものにするであろう。マット塗装やチタンフィニッシュ塗装も、目を見張るものがある。何故だかあまり知られていない、もしくは十分理解されていないが、エルカミーノは平地だろうがトレイルだろうが、オンロード、ジープロード、シングルトラックだろうが縦横無尽に走れる究極のバイクだ。それが月に一度なのか、一日一回か・・・それはあなた次第だけれど。





完成車価格 ¥124,800(税抜) フレーム価格 ¥44,800(税抜)


SIZES S/M/L COLOR 完成車: Black Matt, Neon Red フレーム: Titanium Grey Matt, Neon Pink Matt



#### **EL CAMINO** GL

完成車価格 ¥129,800(税抜)





完成車価格 ¥89,800(税抜)

650B

SIZES XS / S / M / L COLOR Neon Pink Matt, Neon Yellow Matt, Black Matt, White Matt (4clors)

EL CAMINO MD は、あなたが長くMTB 愛好家として生活するにあたり、必要な要素がすべてある。いろんな意味で、ちょうどいいバイクである。そう、ただ単純に「楽しい乗り物」。650B ホイールは快適、愉快、軽量で効率的。また、 








26 FOR EVER

フロントブレーキは付属しておりません。 公道走行時は F ブレーキの装着をお願い



# 26 FOR EVER

色気、激情、狂気、26 インチ。
バイクパークや REDBULL RAMPAGE 用に、SUPREME Park 26 の勢いは止まらない!
PEF(Pierre-Edouard Ferry) の 360°ドロップに対応するため、そしてより革新的な機能を持たせたパワフルで超楽しいバイクを提案するため、SUPREME DH V3 のジオメトリに若干の変更を加えている。ダブルクラウンのフォークをつけたら、RedBull のようなパフォーマンスをみせつけてやれ。
忘れてはいけないのが・・・META SX 26。こいつとなら、それはライディングじゃない。"ロック"だ!たった一つの目的・・・ここを下った後で弁当を食べる、そのためだけに坂を上るのも、全く不思議な事じゃない。
META SX は我らのフーリガン、僕らの超お気に入り、私達の小さな従者。
多くのエキサイトライダーや 26"狂にとって、この META SX が古びることはない。
"SX for ever"そして"26 for ever"。同じ兵(つわもの)達。続きはまた今度・・・

# **VIP SUPREME DH V3** PARK 26 VIP フレーム価格 ¥299,800(税抜) SIZES S/M/L COLOR Full Black Matt





**VIP META SX** 26

VIP フレーム価格 ¥249,800(税抜)


SIZES S/M COLOR Neon Pink





この光景をみたあなたは、エアーの高さ、そのときの回転数、そして で行われる、芸術家の集いであるからだ! PEF、Brendan Howey、Carlos MARIN、Anthony ROCCI 。それだけで断言できる。 アブソリュートは如何なる時でも我々のライダーに選ばれる"THE" ダートジャンプバイク。





#### **ABSOLUT** Purple

完成車価格 ¥349,800(税抜)


SIZES Short / Large COLOR Purple / Black Matt





Freeride Mountain Bike (FMB) ワールドツアーに参加するプロでさえも、このバイクに羨望の眼差しをむけ、あこがれる! ROCK SHOX PIKE DJ を身にまとい、26 インチホイール +100mmトラベルフォークのマニア垂涎の組み合わせとデザイン。ライダーと一体感のあるジオメトリ、さらに。ツイートツイートリムなど、SPANK とコラボし た Commencal 限定カラーリングパーツの数々。コックビットも SPANK (50 ミリ /760 ミリ)。 そしておなじみになった、アンチスピン・システム。最も美しい。プロが嫉妬する理由がそこにある。





16 26 FOR EVER



このシリーズには3つの個性的なモデルが存在する。 UPTOWN AL MD 29er、BABYLON、そしてシティレンジのハイエンド、 UPTOWN AL Signature 29er。だれもが振り返るその外観と、機能美、フレーム ワークの美しさはオンロードでさえも自己主張するステージに変える。街中でも、コーナリングの楽しさは失われない。年月が経つにしたがって、ますますこのシリーズの価値が分かってきた。街中でバイクに乗って動き回るのは、真の自由だ。 そして私達は目の前に障壁があるのが好きじゃない。 新しいことを提案し続けたい!



完成車価格 ¥89,800(税抜)

SIZES S/M/L COLOR Fuchsia Matt

UPTOWN AL は、マッドガードを装備し常にファーストシティバイカーのための理想であり続ける。 テリペラー・バインー・バー・ファック・ディー・ディー・ディー・ディー・ディスクブレーキと、ややライズしたハンドル、スピードのノリがとても良く、どこからでも抜け出せて決して 追いつかれない。あなたがしたかった事が全て実現できる。渋滞にはまった車があなたの代わりにそんな事はでき ない。あなたはその事もとても気に入ると思う。あなたが 約束をすっぽかすのは、もはや不可能。

UPTOWN AL MD 29er のマッドガードの装着・ 非装着に関しては、組立ての際にどちらかを選択 頂けます。取扱販売店にてご相談下さい。









**BABYLON** 29er

完成車価格 ¥149,800(税抜)

SIZES S/M/L COLOR Black Matt

どうしてあなたは、街で自転車に乗りたくなるのか?そのほうが便利だから?速くて、遊び心満載、さらに経済的だから?どのような理由であれ、あなたのハートが、MTBと似た乗り心地を欲しているからだと思う。節約家 のあなた、このフルリジットバイクは BMX のような外観と高速が航性能を 併せ持っているから、必ず気に入るに違いない。 9 スピード + ディスクブ レーキは、あなたを幸せにする乗り心地であることを約束しよう。







# WELCOME TO THE SMALL WORLD & DOWNHILL

COMMENCAL のバイクは大人のための楽しいアイテム。そうすると、当然子供のためにも楽しいアイテムが必要となってくる。 何歳から、あなたの分身は下り坂を楽しむことが出来る? ここで思う。スキーと同様に、5 歳ぐらいから子供たちは始めることが出来る。 目を見張るようなコーナリングスピード、飛べなかったジャンプ。これらスキルアップの速さを実際この目で見る喜びは、何ものにも代えがたい思い出となる。 我々は、この Supreme を子供たちのために作り続けることが、MTB界の将来の牽引力になると信じている。 バイクパーク、トレイル、リゾート地。様々な場所でこのマシンを見かけるたびに、それが確信に変わる。子供たちの最初のダウンヒルバイクは、こうあるべき。

#### **SUPREME Jr** 650B





我々は、たくさんの愛情を子供たちに持っている。が、何かが足りない… やっとわかった。リア 150 ミリストロークの 650B ダウンヒルマシン。 こいつだ!シャープなハンドリングにはジャストサイズのフレームが必要 不可欠なのだ。650B ホイールと 200 ミリストロークを備えた、S サイズのフレームと、140 ミリストローク、24 インチのマシンの間には大きなギャップがある。そう今までは、明らかにジャストサイズのダウンヒルバイクがなかった。これからは、違う。140 センチ~160 センチのダウンヒル好きにはたまらない理想的なボジションをもち、現在汎用性の高い 650B ホイールでありながらの、フロント 160、リア 150 ミリのストローク。ホイール径に関しては最後まで激論があった。我々は、26 インチではなく敢えて 650B ホイールサイズを選択した。650B とした結果、ほぼすべてのブランドのフロントフォーク、ホイール、リム、タイヤが選べる優位性を勝ち取った。新しい挑戦である。

#### **SUPREME 24**


完成車価格 ¥429,800(税抜)

SIZES 24 COLOR Neon Yellow Matt

成長著しい、エンデューロとダウンヒル事業をもつ COMMENCALは、子供たちのためのハイスペックマシンのために、多くのエネルギーを費やした。その成果がこのニューバイク。我々は、将来の若手 DH フイダーの成長を望み、それは幼いころからの訓練がすべてだと知っている。今散えて、我々は全く新しい DH フレーム 24 インチ Supreme24(140ミリストローク)を提案する。低重心、シャーブなハンドリング、そして圧倒的な軽さ。130 センチ~150 センチの身長の子供たちのために特別に開発した。トレイルオブザイヤーに輝いたな走行性能となった。こいつで、お気に入りの遊び場を探して欲しい。なお、このフレームを開発するにあたって、COMMENCALは、地元アンドラの地にキッズコースやビギナーコースを強力に展開、スポンサードもしている。ヴァルノードのリゾートは、今年の夏からさらに多くのファミリーが訪れ、そして9月のワールドカップを迎える。











#### **SUPREME 20**

完成車価格 ¥349,800(税抜)

SIZES 20 COLOR Neon Yellow Matt



20 インチホイール、100 ミリリアトラベル / フロントは 80 ミリ。シングルスピード(オプション対応で、多段 化が可能)小さな RIDE ALPHA ステム (35 ミリ) 小さな RIDE ALPHA バー (560 ミリ幅) 適応身長:115 センチ~135 センチ

要するに、我々はこの Supreme20 を、唯一無二の存在にしたかった!実は、このバイクを作ったエンジニアは、ちょうどこいつに乗る息子を育てている。このMTBを必要とする家族愛が、この芸術品を走らせる。これは運命としか言えない。

# **METAKIDS**

子供たちのロールスロイス"と創業者マックスは繰り返す。なぜか?このバイクには META HT のフレームチューブ類をそのまま採用しているから。それがこのバイクに真の"マウンテンバイクらしさ"を与えているんだ。偉大な META の銘を受け継ぐに相応しい、最高級のフロントフォークとブレーキ、そして多様なアップグレードパーツを使える拡張性がこのバイクには備わっている。そのとおり!小さな 20"も 24"も、ただサイズが小さいだけ。気難しい両親を喜ばせるのにうってつけのモデルさ!・・・・君たちのバイクの話だったっけ?



#### META HT 24

完成車価格 ¥159,800(税抜)

SIZES 24

COLOR Neon Yellow Matt / Black Matt

Neon Yellow Matt / Black Matt

我々は、子供たちのために過保護にならぬよう気をつけねばならない。META HT 24 はインナーチューブ 径 30mm/トラベル 70 ミリの RIDE ALPHA キッズエンデューロフォークが付属している。それは Red Bull Rampage に出場する、Kyle Strait を真似しはじめている子供たちには理想的なパーツである。コッピットにも、同じイメージをもってきた。ALPHA 36 ミリの CNC ステムと、620 ミリ幅のハンドルバー。クランクセットは 32tのナローワイド。軽量で、よりシンブルな構造。最高のスペック! SRAM X5 をチョイスし、小さい手でも大丈夫な DB1 ブレーキレバー、RIDE ALPHA ホイールは贅沢な仕様。安全を約束するブレーキ。やはり過保護になってしまった。子供たちは、最高のものを若くして手に入れた。あとはスキルアップ。いまから、だれがライディングを教えてあげるの?



# META HT 20

完成車価格 ¥149,800(税抜)

SIZES 20

COLOR Neon Yellow Matt / Black Matt



マウンテンバイクに跨るとき。我々は、妥協は一切したくない。なぜならライディングが台無しになるからだ。 META HT 20 は、(世界中のどの場所においても)そのこだわりによりキッズレースで優勝できる。まさにこれが真のハイエンドバイクということを見せつける。20 インチのマウンテンバイクだが、大人と同じ聴覚の乗り物。まず、RIDE ALPHAキッズエンデューロフォークは 30 ミリのインナーチューブと 50 ミリトラベルで武装した、力強く耐久性のある、本物のMTBフォークを装備。RIDE ALPHAのコックビットは、子供たちが愛すべき新しいデザインを採用。ハンドルバーは 580 ミリ、CNC ステムはねじが見えない独特の外観。ただの豪華バージョンではない、信頼性ありきのパーツチョイスで安心のライディング。SRAMの DB1 ブレーキは立派なものだ。小さな手にもフィットする。その他の楽しむための装備は何かって?RIDE ALPHAのナローフイドチェーンリングが軽量化と、チェーン外れ防止、ノイズ削減の役割を果たし、SRAM X5のリア変速は、より快適にライディング! (11・341)、RIDE ALPHAダブルウォールリムとケンダスモールブロック8でグリップと耐久性を確保。本物は、こうあるべきだ。

20 KIDS / DOWN HILL

**KIDS** 

## **KIDS**

唯一の評価方法は、子供たちの笑顔を数えること! 多くの笑顔が良い バイクである証明書! 楽しみながら新しいライディングを挑戦してもらい たい。屋内でも、公園でも、MTBパークでも、一人でも、友達と一緒で も。子供たちは立ち止まることを知らない。成長し続けるのみ。コメンサ ルバイクは、偶然子供たちと出会ってしまった! そのホンモノのジオメトリ が、子供たちのスキルアップに値する。



#### **RAMONES 24**



Ramones 24 を手に入れた子供たち。我々はもはや彼らに追いつくことはできない。すでに、130 センチを超える身長。(145 センチぐらいまでか。)移動手段としても成り立つぐらいにペダリングでき ている。いつでも、どこにでもいけるようになった。Ramones 24 は、子供たちに様々なものを与える。 サンツアー XCT フォーク、7速トランスミッションとオフロード向けタイヤ。コックピットには、30ミリステムと620ミリハンドルバー。要するに、本当のマウンテンバイク人生のはじまりだ。これは、実用 性と耐久性を兼ね備えたバイク。あなたの子供は、手に入れる資格がある。





#### **RAMONES 20**

完成車価格 ¥57,800(税抜) SIZES 20 COLOR Neon Red / Black Matt





子供たちにはグリップシフトを装着。MTBコースが常に平坦だとはかぎらない。登りも下りもコレで攻める!ただ、子供たちにはバイクだけでなく必ずヘルメットもプレゼントしてあげてほしい。









#### **RAMONES 16**

完成車価格 ¥44,800(税抜)

SIZES 16 COLOR Neon Red / Black Matt



Ramones 16 は、14 と同じコンセプトだが身長 100 センチ〜120 センチぐらいの子供たちに最適なバイクである。レーシング MTB のような外観。さらに子供たちが好きな赤と黒のグラフィック。このバイクは公園のオフロードで、またサイクリングロードで誇っただけでわかる乗りやすさを持っている。短いハンドルステムと子供用のブレーキが、子供たちにバイクを操る楽しさを教える。すべての部品とジオメトリが、本格的なコーナリングの練習に適している。また、我々はあえて16 インチもシングルスピードとし、子供たちの神経をバイクコントロールに集中させた。これらの細かいこだわりは、バイク全体としての乗りやすさに寄与。子供たちは、ただへダルを回し、コーナリングを楽しみ、世界中のどこでも周りを気にせずタイヤをスライドさせることができる。だから、子供たちが愛するバイクで、子供たちもい置きなく旅ば仕ずスタイトさせることができる。だから、子供たちが愛するバイクで、子供たちもい声書なく旅ば仕ずスタイト。





## **RAMONES 14**

完成車価格 ¥41,800(税抜)

SIZES 14

COLOR Neon Red / Black Matt







子供たちがライディングを学ぶこと、そのこと自体まだ早すぎるといわれることはなにもない。 Ramones14は、子供たちが初めてひとりで自転車旅行を楽しむために生まれた。3歳から5歳ぐら ればいにおけるは、アドバンのかがしていて、日本年間でしていたことがいる。またけ、ア供たちのために、必要十分なスペックとコーナリングしやすいジオメトリをもつ。我々は、子供たちの小さな手のために小さなブレーキレバーを装備し、ハンドルステム、バー、グリップなどはライディングしやすい専用のものを使用。その年齢では、シングルスピードが最適であり、ギアを変更する必要はない。タイヤは、軽量タイプ。当然、軽く転がる。そしてそのデザインは、DHとエンデューロモデルと同じレーシングスピリッツの塊。手に入れた子供たちは、本当にラッキーだ。

#### **RAMONES 12**

完成車価格 ¥32,800(税抜)

SIZES 12

COLOR Neon Red / Black Matt



あなたは、欧州で Hobby-Horse と呼ばれる、昔からの子供のおもちゃをご存知だろうか? 近年、子供たちはそれに飽きてきたころから、Ramones 12 でバランスと自転車の楽しみ方を学ぶ。そのころ から、Ramones 12 は、子供たちの親友となる! 2016、我々の META AM V4 650B と SUPREME DH の同じデザインとなった。美しく鈍く光る、赤と黒。子供たちはプロライダーと同じように、最初のバンブに乗って、バンプトラックに入り、コーナーを試し、夕方までグルグル回ってとライディングすることができる。新設計ポイントに関してだが、フットプラットフォームが拡大された。そのこ とにより、子供たちはそのブラットフォームにさらに簡単に立ち上がることが出来るようになった。 また、更なる軽量化がすすみ、シートポストもアルミ化。RIDE ALPHA アルミハンドルステム&バーと、 ディスクブレーキ台座で本格的な高速ライディングも可能。今年も、コレが Ramones 12。



Neon Red / Black Mat





22 KIDS

GEOMETRY

DOWNHILL

ダウンヒルのワールドカップステージから友人とのMTBパークライドでのセッションまで、幅広くスピードを愛する方へ。純粋に加速性能と振動吸収性能を追 求したシリーズ。650Bと26"がいまだに選べるのはコメンサルだけであろう。現在、10名弱のライダーがワールドカップDH表彰台のトップを目指し活動。更 なる活躍を胸に秘め、シュープリームDH V3もしくはV4 で日々鍛錬している。また、シュープリームDH V4 は、2016モデル最大の開発商品。独特な チェーンラインは、高い位置でのピポットを可能にし、リアホイールの軌跡を最適化。チェーントラブルのない新システムは、これからのDHマシンの金字塔と なるであろう。山中で最高レベルのアドレナリンが欲しい時、シュープリーム以外の選択肢はない。



元祖DHマラソン、メガアバランチェの2年連続優勝マシン『META AM』が進化してV4タイプとなっている現在、自由気ままなライディングスタイル+勝てる マシンへと評価が変化。DHマラソン、今はエンデューロと呼ばれるレースで表彰台を勝ち取るためのマシン。トップチューブとリアホイールの一直線上に配 置されたリアサスペンションが、最高の登坂性能と最速のコーナーリングスピード、コーナー出口での加速感を演出。一方、レースに参加せずとも 150-160mmリアトラベルを活かした、トレイルでのスムースライディングが最高に楽しい一台。新開発され第4世代のフレームとなったV4、および26インチ のMETA SX 26.更なる進化と、ポディウムの獲得数を加速させる。



コメンサルが切り拓いた「下り系ハードテイル」というバイクレンジが、世界中のトレイルで数多くの「楽しんだもの勝ち」レースにて表彰台を獲得中。 バイクコントロールを存分に楽しんで、1台に何役も任せたい方はMETA HTが最適。コメンサルスタンダードのアルミフレームと、エクスクルーシヴな新クロ モリ・Purpleフレーム、さらに親近感のある価格で従来のクロモリ650bフレームをご用意。特に、本年新登場のPurpleフレームは、競技志向ではない、単 純にライディング、コーナリングを楽しんでいただくライダーに向けての新提案であり、世界中がその乗り味に注目する新設計のCr-Moハードテイルである。



新開発のフレームを身にまとい、トレイルマニア待望の『スーパーノーマル29er』が復活。

また、META TRAIL においても150mmストロークの弟分とは言わせない、メリハリのある120mmを活かしきったライディングが真髄。 ホームグラウンドのトレイルの斜度が、150mmも必要としないものならば是非、このジャンルからチョイスして欲しい。ハードテール、フルサスあわせて何台も 所有したくなるマニア垂涎の逸品。



元来のPremierというネーミングのとおり、何年も前からコメンサルはスポーツカテゴリーのマシンに取り組んでいる。 これは、MTBをマニアだけのものに終わらせたくない創業者マックスコメンサルの意向だ。 本年度も、EL CAMINOは幅広いラインナップを準備。トレイル派、デザイン重視派、カスタム派、シティライド兼用派、どんな形でもいい。 貴方の心がMTBに染まっていけば。



ストリート、ダートジャンプに特化したアブソリュートシリーズ。 長年のチームライダーからのフィードバックにより、最高レベルの 『バイクとの一体感』 を得る。 コンパクトで回頭性がよい、CGお気に入りの名品。シングル⇔変速付 の切替可能な設計も、特筆モノ。 スロープスタイルコンテストへ出場するも良し、いつもの都会の風景からハードセクションを見つけるも良し。 独自のアンチスピニングクランクシステムの採用で、空中での安心感も群を抜く存在。



COMMENCALスタイル、スピリッツ、いわゆるコメンサル流を普段から存分に味わえるマシンがそろっている。 BMXテイストのUPTOWN、復活したネーミングで注目のBABYLON。 一筋縄ではいかないトガった個性派たち。 見たこともないルックスと、コメンサルでしか表現できないカラーリングで、あなたを楽しませてくれる。



貴方の想いと、コメンサルバイクを一致させるべく、2016モデルは4つのグレードを提案。

#### ORIGIN

バイクに多額の費用を掛けたくないが、それでも良いものが欲しい、しっかり機能するコンポーネント群を手にしたい仲間にお薦めするグレード。

#### ESSENTIAL

信頼性も、パフォーマンスもどちらも重視するライダー達に。安全なライディングに必要な全てが揃っていて、何より、すぐにでも"時間との勝負"に挑戦で きるグレード。

#### RACE

レースレディのバイク達!あなたは競技に必要な全てを得られる。これはワールドカップモデルではないが、間違いなくウイニングマシンである。


#### SIGNATURE


最高のパフォーマンスの為に、最高の乗り味を。バッチリ決まったセッティングで、特別なバイクを組み上げる為には、一流ブランドを使う以外に選択の 余地はない。



コメンサルは創業から今まで、ハイグレードのフレームを販売するときにVIPという名称を使ってきた。 フレームを購入したあなたがコメンサルにとってVIPだから。 VIPフレームは、あなたがMTBのスペシャリストであるという尊敬の念を持って受け継がれている呼び方である。

MODEL NAME	FRAME SIZE	①SEAT TUBE LENGTH	②SEAT TUBE ANGLE	③HEAD TUBE ANGLE	4HEAD TUBE LENGTH	⑤WHEEL BASE	©TOP TUBE LENGTH	⑦CHAIN STAY LENGTH	®BOTTOM BRACKET HEIGHT	9FORK LENGTH	STAND- OVER HEIGHT	Height adaptation
	S	400	66	62.5	108	1168	547	425.0	-5	590	703	157-175
SUPREME DH V4	М	400	66	62.5	108	1185	562	425.0	-5	590	703	170-188
	L	400	66	62.5	108	1204	577	425.0	-5	590	703	182-
	S	400	62,5	63.8	120	1178.5→1185.5	576	447.5→454.5	-7	585	750	157-175
SUPREME DH V3	М	400	62,5	63.8	120	1196→1203	593	447.5→454.5	-7	585	750	170-188
	L	400	62,5	63.8	120	1208.5→1215.5	606	447.5→454.5	-7	585	750	182-
	S	400	74	66	110	1156	570	437	-12	544	705	153-168
META AM V4	М	440	74	66	115	1178	591	437	-12	544	715	168-178
	L	490	74	66	120	1205	618	437	-12	544	743	178-188
	S	400	73	65.5	105	1104	560	428	-45	544	725	153-168
META HT AM	М	440	73	65.5	110	1125	580	428	-45	544	735	168-178
	L	490	73	65.5	115	1151	605	428	-45	544	747	178-188
	S	400	73	65	95	1109	565	420	-45	"555 (+14 EC44)"	725	153-170
META HT AM Cr-Mo Purple	М	440	73	65	100	1130	585	420	-45	"555 (+14 EC44)"	735	170-178
	L	480	73	65	105	1155	610	420	-45	"555 (+14 EC44)"	747	178-188
	S	400	73	65.5	105	1121	565	428	-45	544	725	153-170
META HT AM Cr-Mo	М	440	73	65.5	110	1142	585	428	-45	544	735	170-178
	L	490	73	65.5	115	1167	610	428	-45	544	747	178-188
	S	400	74	67.5	110	1133	580	437	-25	507	680	153-168
META TRAIL V4	М	440	74	67.5	115	1154	600	437	-25	507	690	168-178
	L	490	74	67.5	120	1179	625	437	-25	507	700	178-188
	S	400	73	68.5	110	1060	565	430	-50	485	700	153-168
META HT TRAIL	M	440	73	68.0	110	1080	585	430	-48	505	725	168-178
	L	490	73	68.0	120	1105	610	430	-48	505	755	178-188
	S	400	73	69.5	100	1075	573	440	-60	505	725	153-168
SUPERNOMAL 29er	M	450	73	69.5	110	1092	595	440	-60	505	755	168-178
	L	500	73	69.5	110	1112	615	440	-60	505	785	178-188
	XS	350	73	69.5	100	1040	545	435	-50	485	700	-153
	S	400	73	69.5	110	1060	565	435	-50	485	725	153-168
EL CAMINO	М	440	73	69.5	110	1080	585	435	-48	505	755	168-178
	L	490	73	69.5	120	1105	610	435	-48	505	785	178-188
	XL	520	73	69.5	130	1130	635	435	-48	505	815	188-
	S	400	62,5	64	120	1175	571	435	8	570	730	157-175
SUPREME DH Park 26	M	400	62,5	64	120	1195	591	435	8	570	730	170-188
	L	440	62,5	64	120	1215	615	435	8	570	730	182-
	S	400	73	65	105	1136	560	430	3	545	705	153-168
META SX 26	M	440	73	65	110	1157	580	430	3	545	715	168-178
	L	490	73	65	120	1184	605	430	3	545	743	178-188
ABSOLUT AL	S	345	73	69	120	1049	570	400	-25	470	715	155-182
7200201712	L	345	73	69	120	1069	590	400	-25	470	720	178-
	S	400	73	69	110	1080	570	450	-60	480	730	153-168
UPTOWN AL	М	440	73	69,5	115	1095	585	450	-60	480	760	168-178
	L	490	73	69,5	125	1111	605	450	-60	480	790	178-188
	S	400	73	69	110	1080	570	450	-60	480	730	153-168
UPTOWN AL Signature	М	440	73	69,5	115	1095	585	450	-60	480	760	168-178
	L	490	73	69,5	125	1111	605	450	-60	480	790	178-188
SUPREME 24	24	320	73.5	66	105	1026	476	420	12	520	690	140-160
SUPREME 20	20	260	73	66	110	920	464	345	14	416	520	120-140
SUPREME JR 650B	М	370	74	65	105	1124	547	437	-12	555	736	155-165
	S	400	73	70	110	1074	570	450	-70	450	730	153-168
BABYLON	M	440	73	70	115	1090	585	450	-70	450	760	168-178
	L	490	73	70	125	1110	605	450	-70	450	790	178-188
	12	160	71	70	70	578	305	240	-	209	260	-100
	14	195	73	70	90	636	344	250	-10	240	275	95-115
RAMONES	16	195	72	70	100	697	385	285	0	271	400	100-120
	20	260	73	69	100	857	445	360	0	331	485	115-135
	24	300	73	69	100	959	492	405	-25	417	530	128-145
META UT	20	260	73	69	105	879	445	360	-5	344	485	115-135
META HT	24	300	73	69	105	969	492	405	-25	411	530	128-145
	6						6					





- ② SEAT TUBE ANGLE ③ HEAD TUBE ANGLE
- 4 HEAD TUBE LENGTH
- ⑤ WHEEL BASE
- **⑥** TOP TUBE LENGTH
- ⑦ CHAIN STAY LENGTH
- **®** BOTTOM BRACKET HEIGHT
- FORK LENGTH

**TECHNOLOGY** 

SPECIFICATION

MODEL NAME	SUPREME DH V4 Essential RS	SUPREME DH V4 Origin RS	SUPREME DH V3 Essential
Frame	NEW SUPREME DH V4 650b, Travel 220mm, 6066 alloy hydroformed, light version internal routing	NEW SUPREME DH V4 650b, Travel 220mm, 6066 alloy hydroformed, light version internal routing	SUPREME DH V3 650b, Travel 190mm,7005 Alloy hydroformed, light version internal routing
Shock	ROCKSHOX Vivid RC2 267x89mm	ROCKSHOX kage R	ROCKSHOX Vivid R2C
Fork	ROCKSHOX Boxxer RC 650B, 200mm Travel 200mm, 20mm axle	ROCKSHOX Boxxer RC 650B, 200mm Travel 200mm, 20mm axle	ROCKSHOX Boxxer Team 650B, Travel 200mm,20mm axle
Headset	Semi integrated, tapered ZS44/56, sealed bearing, 1*1/8 lower washer	Semi integrated, tapered ZS44/56, sealed bearing, 1"1/8 lower washer	Semi integrated, Tapered ZS44/56, sealed bearing
Stem	New RIDE ALPHA Direct Mount, 50mm, 31,8mm integrated stem	New RIDE ALPHA Direct Mount, 50mm, 31,8mm integrated stem	FSA Gravity light direct mount stem
Bars	ALPHA, alloy 7075 DB 30mm rise, 780mm, ø31,8mm	ALPHA, alloy 7075 DB 30mm rise, 780mm, ø31,8mm	ALPHA,Alloy 7075 DB 30mm rise,780mm,ø31,8mm
Grips	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL Lock on
Brakes	SRAM CODE R 4 pistons 200mm / 200mm	SRAM CODE R 4 pistons 200mm / 200mm	SRAM CODE R 200mm / 200mm
Shifters	SRAM X9 1x10spd	SRAM X5 1x9sp	SRAM X9 1x10spd
Front Mech	E13 LG1 + Wide Angle	E13 LG1+ Wide Angle	E13 LG1+Steel backplate
Rear Mech	SRAM X9 10spd	SRAM X7 9spd Medium Cage	SRAM X9 10spd
Bottom Bracket	RIDE ALPHA PressFit 107mm	RIDE ALPHA PressFit 107mm	RACE FACE Pressfit 107mm sealed bearings
Cranks	RIDE ALPHA Alloy 2 pieces, 36t, 165mm	RIDE ALPHA Alloy 2 pieces, 36t, 165mm	RACE FACE CHESTER 36T,170mm
Chain	KMC X10	YABAN S9	KMC X10
Cassette	SRAM PG1050 11-26T	SRAM PG950 11-28T	SRAM PG1050 11-28T
Rims	RIDE ALPHA DH 32h, 32mm wide, double wall	RIDE ALPHA DH 32h, 32mm wide, double wall	ALPHA DH 32h,650b,double wall, tubeless ready
Hubs	RIDE ALPHA DH 32, Sealed bearings, 20mm Front, 150x12mm Rear 20mm front, 150x12 rear	RIDE ALPHA DH 32, Sealed bearings, 20mm Front, 150x12mm Rear 20mm front, 150x12 rear	ALPHA DH 32, Sealed bearings, 20mm front, 150x12 rear
Spokes	CN Spoke StainlessSteel 2mm, Black, Thread Lock system, Brass 12mm Black	CN Spoke StainlessSteel 2mm, Black, Thread Lock system, Brass 12mm Black	StainlessSteel 2mm black - brass 12mm black
Tires	MAXXIS Minion DHR II, 650b x 2,40, 60tpi, Super Tacky	MAXXIS Minion DHR II, 650b x 2,40, 60tpi, Super Tacky	MAXXIS High Roller? 27.5"x2.40", 60TPI,Super Tacky
Seatpost	RIDE ALPHA DH, 31,6mm, 300mm	RIDE ALPHA DH, 31,6mm, 300mm	COMMENCAL Alloy 31.6x300mm
Saddle	NEW RIDE ALPHA Saddle, cr-mo rails	NEW RIDE ALPHA Saddle, cr-mo rails	COMMENCAL SUPREME, Cr/Mo rails
Bike Weight	N.A.	N.A.	17.8 kg
Note	SUPREME Chainstay protector SUPREME rear shock mudguard	SUPREME Chainstay protector SUPREME rear shock mudguard	SUPREME Chainstay protector SUPREME rear shock mudguard

 MODEL NAME	META AM V4 ESSENTIAL	META AM V4 Purple	META AM Origin RS
Frame	NEW 650B META V4 AM. Travel 150mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel.	NEW 650B META V4 AM. Travel 150mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel.	NEW 650B META V4 AM. Travel 150mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel.
Shock	ROCKSHOX Monarch RT3, 200x57, Travel 150mm, 3 positions	ROCKSHOX Monach Plus Debonnair RC3, 200x57, 3 positions Lock/Platfrom/Open	ROCKSHOX MONARCH RT
Fork	ROCKSHOX Pike RC Solo Air 160mm, 15mm axle, Tapered	ROCKSHOX Pike RC, 650b, Solo air, 160mm, 15mm, Tapered	ROCKSHOX YARI RC, 160mm 15mm axle
Headset	Semi Intergrated, Tapered ZS44/56, 1,5 crown race, sealed bearing, alloy cups	Semi Intergrated, Tapered ZS44/56, 1,5 crown race, sealed bearing, alloy cups	Semi Intergrated, Tapered ZS44/56, 1,5 crown race, sealed bearing, alloy cups
Stem	RIDE ALPHA Freeride 50mm, 0° rise, Ø 31,8mm	Spank Oozy Trail, 50mm, 0° rise, Ø 31,8mm, High polish black, custom purple artwork	RIDE ALPHA Freeride 50mm, 0°rise,Ø 31,8mm
Bars	RIDE ALPHA 780mm, 30mm rise , Ø31,8mm	SPANK Oozy Trail, 760 mm, 30mm rise, high polish black, custom purple artwork	RIDE ALPHA 780mm, 30mm rise , Ø31,8mm
Grips	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL Lock on ø32mm, Soft coumpound
Brakes	SRAM Guide R 200mm/180mm	SRAM Guide R 200mm/180mm, with matchmaker	SRAM DB3 200mm/180mm, with matchmaker
Shifters	SRAM GX1, 1x11sp	SRAM GX1, 1x11sp	SRAM X7 1x10 spd
Front Mech	1	1	1
Rear Mech	SRAM GX1 11sp	SRAM GX1 11sp	SRAM X7 10 spd Type II
Bottom Bracket	E13 TRS+ BB92	E13 TRS+ BB92	Pressfit BB92, sealed bearings
Cranks	E13 TRS Single, Exalite Al w/APS, Black, Direct guidering N/W, 32t, P3 Connect, 170mm (S/M), 175mm (L/XL)	E13 TRS Single, Exalite Al w/APS, Black, Direct guidering N/W, 32t, P3 Connect, 170mm (S/M), 175mm (L/XL)	RIDE ALPHA Forged 1x10, RIDE ALPHA Narrow wide 32T chainring, 170mm (S/M), 175mm (L/XL)
Chain	KMC X11 Silver	KMC X11 Silver	KMC X10 10sp
Cassette	SRAM XG1150 10-42	SRAM XG1150 10-42	SRAM PG1020 11-36T, + RIDE ALPHA Extra cog 42T, incl.16t cog
Rims	RIDE ALPHA 650B, 32H, 23mm, Tubeless ready	SPANK Oozy Trail 295, High polish Black, Tubeless ready, Custom purple artwork	RIDE ALPHA 650b 32h Double wall, Tubeless ready
Hubs	RIDE ALPHA 32h, Sealed bearing, light version	RIDE ALPHA 32h, Sealed bearing, light version	RIDE ALPHA 32h, Sealed bearing, light version
Spokes	Spoke Stainless Steel 1,8mm black, Thread lock system - nipple brass 12mm black	Stainless Steel, 1,8mm Black, Thread Lock system, 12mm nipple brass	Stainless Steel 1,8mm black, Thread lock system - nipple brass 12mm black
Tires	MAXXIS Minion DHR II 2,3 front and rear, EXO, Dual copmpound, 60 Tpi, Tubeless ready	MAXXIS Minion DHR II 2,3 front and rear, EXO, Dual copmpound, 60 Tpi, Tubeless ready	MAXXIS Minion DHR II 2,3 front and rear, EXO, Dual copmpound, 60 tpi, Tubeless ready
Seatpost	ROCKSHOX Reverb Stealth, 125mm, Ø31,6mm	ROCKSHOX Reverb Stealth, 125mm, Ø31,6mm	COMMENCAL Alloy No offset one piece design, Ø31,6mm, 350mm
Saddle	RIDE ALPHA SuperLight foam, Cr-mo rails, Purple	RIDE ALPHA SuperLight foam, Cr-mo rails, Purple	RIDE ALPHA SuperLight foam, Cr-mo rails, Neon Yellow
Bike Weight	13.5 kg	13.5 kg	14.3 kg
Note	Chainstay protector, Mud Guard	Chainstay protector, Mud Guard	Chainstay protector, Mud Guard

MO	DEL NAME	META HT AM Essential RS	META HT AM Origin RS	META HT AM Limited
	Frame	2015 META HT AM 650B, alloy 6061 triple butted, Top tube hidden cable path, Tapered headtube	2015 META HT AM 650B, alloy 6061 triple butted, Top tube hidden cable path, Tapered headtube	META HT AM 650B, Alloy 6061 triple butted, Top tube hidden cable path, Tapered headtube
	Shock	1	1	1
	Fork	ROCKSHOX YARI RC, 160mm 15mm axle	ROCKSHOX Sektor 140mm, tapered crown, External Rebound, Lockout, Preload adjustment, Axle 15x100mm	X FUSION Sweep650b RL2 150mm, 15mm axle
	Headset	Semi integrated, tapered ZS44/56, 1"1/8 crown race, semi cartridge	Semi integrated, tapered ZS44/56, 1"1/8 crown race, semi cartridge	NECO semi integrated, Tapered ZS44/56, sealed bearing
	Stem	RIDE ALPHA Freeride 50mm, 0° rise, Ø 31,8mm	RIDE ALPHA Freeride 50mm, 0° rise, Ø 31,8mm	COMMENCAL 60mm,ø31,8mm,10°
	Bars	RIDE ALPHA 760mm, 30mm rise , Ø31,8mm	RIDE ALPHA 760mm, 30mm rise , Ø31,8mm	COMMENCAL ø31,8mm,Alloy 6061, 1*rise,720mm
	Grips	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL lock on, soft compound
	Brakes	SRAM DB1 200mm/180mm, with matchmaker	SRAM DB1 200mm/180mm, with matchmaker	TekTro HDM290 180mm/160mm
	Shifters	SRAM X5 2x9sp	SRAM X5 2x9speed	SRAM X5 2x9speed
F	ront Mech	SRAM X5 High Direct Mount 2sp	Sram X5, High direct mount	Sram X5, High direct mount 2spd
	Rear Mech	SRAM X7 9sp	SRAM X5 9speed	SRAM X5 9speed
Во	ttom Bracket	ISIS BB 68mm, sealed bearings	ISIS BB 68mm, sealed bearings	NECO square BB 68mm, sealed bearings
	Cranks	RIDE ALPHA Forged 2x9, 22/36t, 170mm (S/M), 175mm (L/XL)	RIDE ALPHA Forged 2x9, 22/36t, 170mm (S/M), 175mm (L/XL)	SAMOX 36/22
	Chain	Yaban 9 spd	Yaban 9 spd	Yaban 9 spd
	Cassette	SRAM PG920 11-34T	SRAM PG920 11-34T	SRAM PG950 11-34T
	Rims	RIDE ALPHA 650b 32h Double wall, Tubeless ready	COMMENCAL 650B 32H double wall	COMMENCAL 650B 32H double wall
	Hubs	RIDE ALPHA 32h, loose ball light version, light Quick Release skewer	RIDE ALPHA 32h, loose ball light version, light Quick Release skewer	COMMENCAL 32H
	Spokes	Stainless Steel 1,8mm black, Thread lock system - nipple brass 12mm black	Stainless Steel 1,8mm black, Thread lock system - nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black
	Tires	MAXXIS Minion DHR II 2,3 front and rear, EXO, Dual copmpound, 60 tpi, Tubeless ready	MAXXIS High Roller 27,5x2,3", 60tpi	MAXXIS Ardent 2.4*/2.25* 60tpi
	Seatpost	KINDSHOCK Eten, 100mm travel, Ø31,6mm, 385mm,KGP lever	COMMENCAL Alloy 31.6x300mm	ALPHA Alloy 31.6x350mm
	Saddle	RIDE ALPHA SuperLight foam, Cr-mo rails, Neon Yellow	RIDE ALPHA SuperLight foam, Cr-mo rails	COMMENCAL CrMo rails
E	Bike Weight	13.9 kg	13.3 kg	12.9 kg
	Note	Chainstay protector/Mud guard	Chainstay protector/Mud guard	Chainstay protector

MODEL NAME	META HT AM Cr-Mo Purple	META HT AM Cr-Mo	META TRAIL Limited
Frame	NEW META CRMO 650B, CrMo light Triple Butted integrated hanger with ISCG 05	META CrMo 650B, CrMo light DB, integrated hanger	New META V4 Trail 650b, Travel 120mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel
Shock			XFUSION 02 RLX
Fork	ROCKSHOX PIKE RC, 27,5" Solo Air, 160mm travel, 15mm, Tapered	X FUSION Sweep650b RL2 150mm, 15mm axle	XFUSION Velvet 650B,RL2, Travel 120mm,1*1/8 steerer,15mm axle
Headset	Semi integrated, tapered ZS44/56, 1"1/8 crown race, semi cartridge	NECO semi integrated ZS44/EC44	NECO semi integrated, Tapered ZS44/56, sealed bearing, 1*1/8 Steerer
Stem	Spank Oozy Trail, 50mm, 0° rise, Ø 31,8mm, High polish black, custom purple artwork	COMMENCAL 60mm,ø31,8mm,10°	ALPHA,Alloy Forged,60mm, 0° rise,031,8mm
Bars	SPANK Oozy Trail, 760 mm, 30mm rise, high polish black, custom purple artwork	COMMENCAL ø31,8mm,Alloy 6061, 1*rise,720mm	ALPHA,Alloy 7075 double butted, 30 mm rise,730mm,Ø31,8mm
Grips	COMMENCAL Lock on ø32mm, Soft coumpound	COMMENCAL lock on, soft compound	COMMENCAL lock on, Neon Orange logo
Brakes	SRAM GUIDE R 200mm/180mm, w/matchmaker	TekTro HDM290 180mm/160mm	SRAM DB5 180mm/160mm, with matchmaker
Shifters	SRAM X7 1x10speed	SRAM X5 2x9speed	SRAM X7 1x10 spd
Front Mech	1	Sram X3.0 Collar	1
Rear Mech	SRAM X9 10speed	SRAM X5 9speed	SRAM X7 10 spd Type II
Bottom Bracket	GXP BB 92mm, Sealed bearings	NECO square BB 68mm, sealed bearings	RACE FACE BB92, sealed bearings
Cranks	RIDE ALPHA Forged 1x10, 32t narrow wide, 170mm(S/M), 175mm (L/XL)	SAMOX 36/22	RACE FACE Ride, 34T 170mm on S,175mm on M
Chain	KMC X10 10sp	Yaban 9 spd	KMC X10
Cassette	SRAM PG1020 11-36T + Extra cog 42t RIDE ALPHA, INCL; 16t cog	SRAM PG950 11-34T	SRAM PG1020+e.thirteen 11-42T
Rims	SPANK Oozy Trail 295, High polish Black, Tubeless ready, Custom purple artwork	COMMENCAL 650B 32H double wall	ALPHA 650B 32H,26mm,Tubeless ready
Hubs	RIDE ALPHA 32h, sealed bearing light version, light quick release skewer, Purple anodized	COMMENCAL 32H	ALPHA 32h, sealed bearings light version
Spokes	Stainless Steel 1,8mm black, Thread lock system - nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black	CN Spoke Steel 1,8mm black - nipple brass 12mm black
Tires	MAXXIS Minion DHR 2,3 front, Minion SS 2,3 rear, EXO, Dual compound, 60 tpi, Tubeless ready	MAXXIS Ardent 2.4"/2.25" 60tpi	Front : MAXXIS Ardent 2.25°, 60 Tpi,Kevlar Bead Rear : MAXXIS Ikon 2.2°, 60 Tpi,Kevlar Bead
Seatpost	ROCKSHOX Reverb Stealth, 125mm, Ø31,6mm	ALPHA Alloy 30.9 x350mm	ALPHA Alloy No offset one piece design, Ø31,6mm,350mm
Saddle	RIDE ALPHA SuperLight foam, Cr-mo rails	COMMENCAL CrMo rails	ALPHA,CrMo rails
Bike Weight	N.A.	13.9 kg	12.7 kg
Note	Chainstay protector/Mud guard		Chainstay protector

MODEL NAME	META HT TRAIL Limited	SuperNomal 29er	EL CAMINO
Frame	New 2015 META HT Trail 650b , Alloy 6061 triple butted, Top tube hidden cable path, Tapered headtube	2016 Supernomal, 29", Alloy 6061 triple butted, tapered headtube	2016 El Camino 650B, aluminium 6061 with Rear Carrier Bolt Base(M/L/XL) without Rear Carrier Bolt Base(XS/S)
Shock	1		1
Fork	SUNTOUR Raidon XC LO R coil Travel 100mm on XS/S, 120mm on M/L/XL, 1*1/8 steerer,9mm	ROCKSHOX Reba RL, 100mm, 29", Motion Control, Solo Air, External rebound, lockout, Axle Maxle 15x100mm	RST Blaze T, 27,5", 120mm, Black stanchion, 1"1/8 Steerer
Headset	NECO semi integrated, Tapered ZS44/56, 1*1/8 crown race	Semi integrated, tapered ZS44/56, sealed bearing	Semi integrated, ZS44, semi cartridge
Stem	COMMENCAL 60mm,ø31,8mm,10°	RIDE ALPHA, Aluminium 2014, 70mm, 31,8mm, 0° Angle	COMMENCAL, 60mm, 31,8mm, 7° angle, Al 6061
Bars	COMMENCAL ø31,8mm,Alloy 6061, 1 "rise,700mm on XS/S and 720mm on M/L	RIDE ALPHA, Aluminium 6061, 720mm, 20mm rise	COMMENCAL, 720mm, 30mm rise, Al 6061
Grips	COMMENCAL soft compound	COMMENCAL, Ø32mm, soft compound	COMMENCAL, Ø32mm, soft compound
Brakes	TekTro HDM290 180mm/160mm	AVID DB5, 2 pistons hydraulic disc brake 180mm/160mm, with reach adjustement	TEKTRO HD-M290, hydraulic disc brake 180mm/160mm, with reach adjustment
Shifters	SRAM X5 1x9 spd	SRAM Trigger X7, 2x10sp	SRAM X5 3x9sp
Front Mech	1	SRAM X5, 2sp, Direct mount	SRAM X3, 3sp
Rear Mech	SRAM X5 9 spd	SRAM X9, 10sp, Medium cage	SRAM X4, 9sp, Long cage
Bottom Bracket	NECO square BB 68mm, sealed bearings	BSA BB 68mm, sealed bearings	BB 68MM, cartridge bearing
Cranks	SAMOX arm+RACE FACE 32T N/W 170mm on S,175mm on M/L	RIDE ALPHA, Alloy forged, 22/36T, ISIS, 170mm (XS/S) and 175mm (M/L/XL)	RIDE ALPHA, Alloy forged, 22/32/44, square tapered, 170mm (S/XS), 175mm (M/L/XL)
Chain	Yaban 9 spd	KMC X10	YABAN 9 spd
Cassette	SRAM PG950 11-34T	SRAM PG-1020, 11-36, 10sp	SRAM PG-920, 11-34, 9sp
Rims	COMMENCAL 650B 32H double wall	RIDE ALPHA Double wall, 32 holes, pin joint, Tubeless Ready	COMMENCAL, Double wall, 32 holes, pin joint
Hubs	COMMENCAL 32H	RIDE ALPHA 32 holes	COMMENCAL, 32 holes, loose ball
Spokes	Spoke Steel 1,8mm black - nipple brass 12mm black	Spoke Stainless Steel 1,8mm black - nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black
Tires	MAXXIS Ardent 2.2,60 Tpi	MAXXIS Ikon 29"x2,2, 60 tpi	MAXXIS Ardent 27,5x2,25", 60tpi
Seatpost	ALPHA Alloy 31.6x300mm	COMMENCAL Alloy No offset, Ø31,6mm, 350mm	COMMENCAL Alloy No offset, Ø31,6mm, 350mm
Saddle	COMMENCAL CrMo rails	RIDE ALPHA, Super light foam, Cromo rail	COMMENCAL, El Camino, steel black rails, soft padding
Bike Weight	12.8 kg		13.7 kg
Note	Chainstay protector	Chainstay protector	Chainstay protector/Flat pedals

MODEL NAME	VIP SUPREME DH V4	VIP SUPREME DH V3	VIP SUPREME DH V3 Limited
Frame	NEW SUPREME DH V4 650b, Travel 220mm, 6066 alloy hydroformed, light version internal routing	SUPREME DH V3 650b, Travel 190mm, 7005 alloy hydroformed, light version internal routing	SUPREME DH 650b, Travel 190mm, 7005 alloy hydroformed, light version internal routing
Shock	ROCKSHOX VIVID RC2 267x89mm	ROCKSHOX VIVID RC2 240x76mm	FOX DHX RC4
ISCG Mount	ISCG 05	ISCG 05	ISCG 05
Colour	Neon Yellow/Black Matt finish	Neon Yellow/Black Matt finish, Full Black Matt finish	Neon Yellow Matt
Frame Weight	N.A.	4.9 kg	4.9 kg
MODEL NAME	VIP META AM	META HT AM	META HT AM Cr-Mo Purple
Frame	650B META V4 AM. Travel 150mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel.	2016 META HT AM 650B, alloy 6061 triple butted, Top tube hidden cable path, Tapered headtube	NEW META HT AM CR-MO Purple 650B, CrMo light Triple Butted integrated hanger
Shock	ROCKSHOX MONARCH PLUS RC3 Debonair, 200x57mm	1	1
ISCG Mount	ISCG 05	1	ISCG 05
Colour	Neon Yellow/Black Matt finish, Full Black Matt finish	Neon Yellow/Black Matt finish, Neon Red/Black Matt finishFull Black Matt(Limited)	Purple / Black Matt finish
Frame Weight	3.5 kg	1.9 kg	N.A.

DEL NAME	EL CAMINO G L	EL CAMINO MD	ABSOLUT Purple
Frame	El Camino 650B, Alloy 6061 formed	El Camino 650B, Alloy 6061 formed	ABSOLUT AI V3 Frame, stealth cable routing, with BB anti spinning system, CNC Dropouts with tensioner
Shock	1		
Fork	RST Blaze T, 27,5", 120mm, Black stanchion, 1"1/8 Steerer	SUNTOUR XCM HLO, lock out, travel 100mm on XS/S, 120mm on M/L, 1"1/8 steerer, 9mm front axle	ROCKSHOX Pike DJ, 100mm, 15mm QR
Headset	Semi integrated, ZS44, semi cartridge	NECO 1*1/8, Semi integrated, ball retainer	Semi integrated,tapered ZS44/56, sealed bearing
Stem	COMMENCAL, 60mm, 31,8mm, 7° angle, Al 6061	COMMENCAL 60mm, Ø31,8mm, 10° angle	SPANK OOZY TRAIL, 6 Series Alloy, 50mm, 0°, 31,8mm, custom purple artwork
Bars	COMMENCAL, 720mm, 30mm rise, Al 6061	COMMENCAL Ø31,8mm, alloy 6061, 1"rise, 700MM XS/S; 720MM M/L	SPANK OOZY TRAIL, Super-6 Alloy, 760mm wide, 30mm rise, 31,8mm, custom purple artwork
Grips	COMMENCAL, Ø32mm, soft compound	COMMENCAL soft compound	COMMENCAL lock on, Ø32mm, soft compound
Brakes	TEKTRO HD-M290, hydraulic disc brake 180mm/160mm, with reach adjustment	Tektro NOVELA mechanical disc brake 180mm/160mm	SRAM Guide R, 160mm
Shifters	SRAM X5 3x9 spd	SRAM X4 3x8 spd	1
Front Mech	SRAM X3, 3sp	SRAM 3.0 3 spd	
Rear Mech	SRAM X4, 9sp, Long cage	SRAM X4 8 spd	1
ttom Bracket	BB 68MM, cartridge bearing	BB 68MM, cartridge bearing	E13 LG1
Cranks	RIDE ALPHA, Alloy forged, 22/32/44, square tapered, 170mm (S/XS), 175mm (M/L)	SAMOX 22/32/42T, 170mm on S, 175mm on M/L	E13 LG1 DM 32T, 170mm
Chain	Yaban 9 spd	YABAN 8 spd	KMC K710SL
Cassette	SRAM PG-920, 11-34, 9sp	SRAM PG820 11-32T	13T
Rims	COMMENCAL, Double wall, 32 holes, pin joint	COMMENCAL 650B 32H double wall	SPANK TWEET TWEET 28/ 26" 32H double wall, 28mm, pin joint, custom purple artwork
Hubs	COMMENCAL, 32 holes, loose ball	COMMENCAL 32H	RIDE ALPHA DJ 32H, Sealed Bearings, 15mmQR front, 10mm nutted type rear
Spokes	Spoke Steel 1,8mm black - nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black	CN Spoke StainlessSteel 2mm black, thread lock system - brass 12mm black
Tires	MAXXIS Ardent 27,5x2,25", 60tpi	MAXXIS Ardent 2.25, 60 tpi	MAXXIS DTH 26x2.3, 60 tpi
Seatpost	COMMENCAL Alloy No offset, Ø31,6mm, 350mm	COMMENCAL Alloy No offset, Ø31,6mm, 350mm	RIDE ALPHA DJ, alloy Ø31,6mm, 300mm
Saddle	COMMENCAL, El Camino, steel black rails, soft padding	COMMENCAL El Camino, soft padding	COMMENCAL DJ by Velo, soft padding
Bike Weight	13.6 kg	14.2 kg	10.7 k g
Note	Chainstay protector/Flat pedals	Chainstay protector Flat pedals	Chainstay protector

MODEL NAME	UPTOWN AL MD 29er	BABYLON 29er	UPTOWN AL Signature 29er
Frame	Uptown Al 29, Alloy 6061 formed, Fenders and rack ready	NEW Babylon frame Al 29, Internal cable routing, tapered headtube, Integrated stays and postmount, fenders and rack ready	NEW Uptown Al 29, Internal cable routing, tapered headtube, eccentric BB, Integrated stays and postmount, fenders and rack ready
Shock	1	1	1
Fork	Uptown Crmo 29» Disc, fenders ready	NEW Babylon AL 29", tapered steerer design, postmount disc tapered headtube, fenders ready	NEW Uptown Aloy 29*, integrated design tapered headtube, fenders ready
Headset	NECO 1°1/8 integrated, campy style, sealed bearings	Semi integrated, tapered ZS44/56, Tapered race crown, sealed bearing, steel cups, Orange anodised top cap	Semi integrated, tapered ZS44/56, Tapered race crown, sealed bearing, steel cups, Orange anodised top cap
Stem	COMMENCAL 60mm, Ø31,8mm, 10° angle	RIDE ALPHA, Alloy 6061 forged, 70mm, 31,8mm, 0° angle/70mm, 0° rise, Ø31,8mm	ALPHA, Alloy 6061 forged, 70mm, 0° rise, Ø31,8mm
Bars	COMMENCAL Ø31,8mm, alloy 6061, 1"rise, 640m	RIDE ALPHA, AI 6061 Ø31,8, 20mm rise, 640mm	ALPHA, Al6061 Ø31,8, 30mm rise, 680mm
Grips	COMMENCAL soft compound	COMMENCAL lock on, Ø32mm, soft compound	COMMENCAL soft compound
Brakes	Tektro NOVELA mechanical disk 160mm/160mm	TEKTRO HD-M290, hydraulic disc brake 160mm/160mm, with reach adjustment	FORMULA C1 160mm/160mm
Shifters	SRAM X4 1x8 spd	SRAM X5, 9sp	SRAM G9
Front Mech	1	1	1
Rear Mech	SRAM X4 8 spd	SRAM X5, 9sp, Medium cage	SRAM G9
lottom Bracket	BB 68MM, cartridge bearing	BB 68MM, cartridge bearing	BB 68MM, cartridge bearing
Cranks	Forget 36T, double plastic chainguard, 170mm on S, 175mm on M/L	Forged 36t, Double plastic chainguard, 170mm (S/M), 175mm (L/XL)	Alloy 36T, custom alloy chainguard, 170mm on S/M,175mm on L
Chain	YABAN 8 spd	Yaban 9sp	KMC Singlespeed
Cassette	SRAM PG820 11-32T	SRAM PG-920, 11-34, 9sp	SRAM 16T
Rims	29" 36H double wallint, 24,5mm	COMMENCAL, Double wall, 32 holes, pin joint	29" 36H double wall, 24,5mm, Orange anodised
Hubs	36H, loose ball, Nutted	COMMENCAL, 32 holes, loose ball, nutted type	Front : JOYTECH 36H, double sealed Rear : SRAM G9 Internal gear hub
Spokes	Spoke Steel 1,8mm black - Nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black	Spoke Steel 1,8mm black - nipple brass 12mm black
Tires	FREEDOM Slick 29x2 2(without Fenders)x2pcs. And Extra Bonus tires included !! SCHWALBE BIG APPLE 29x2.0(w/Fenders)x2pcs	FREEDOM Slick 29x2.2, 27tpi	FREEDOM Slick 29x2.2
Seatpost	COMMENCAL alloy no offset Ø31,6mm, 350mm	COMMENCAL alloy no offset Ø31,6mm, 350mm	COMMENCAL alloy no offset Ø31,6mm, 350mm
Saddle	COMMENCAL URBAN, soft padding	COMMENCAL URBAN, soft padding, black rails	COMMENCAL URBAN, soft padding
Bike Weight	13.9 kg	12.3 kg	13.5 kg
Note	Full Fender Kits Flat nedals	Chainstay protector Flat pedals	Chainetay protector Elat nadale

MODEL NAME	SUPREME Jr. 650B	SUPREME 24	SUPREME 20
Frame	NEW SUPREME Jr. 6066 alloy hydroformed, Travel 150mm	SUPREME 24" 6066 alloy hydroformed, Travel 140mm, light version	SUPREME 20" 6066 alloy hydroformed, Travel 100mm
Shock	ROCKSHOX Monarch RT	X-FUSION 02 PRO RLX 190x15mm	ROCKSHOX MONARCH R 152x31
Fork	ROCKSHOX Yari RC 15mm axle	X-FUSION Velvet RL, Travel 140mm, 15mm QR	RIDE ALPHA Kids DH, 80mm, 32mm alloy stanchions, alloy steerer, rebound cartridge, soft spring
Headset	Semi integrated,tapered ZS44/56, 1"1/8 lower washer, sealed bearing	Semi integrated,tapered ZS44/56, 1"1/8 lower washer, sealed bearing	Semi integrated,tapered ZS44/56, 1"1/8 lower washer, sealed bearing
Stem	RIDE ALPHA Kids, alloy 6061 CNC, 50mm, 0° rise, 31,8mm	RIDE ALPHA Kids, alloy 6061 CNC, 35mm, 0° rise, 31,8mm	RIDE ALPHA Kids, alloy 6061 CNC, 35mm, 0° rise, 31,8mm
Bars	RIDE ALPHA Kids, alloy 6061, 0,75" rise, 720mm, 31,8mm	RIDE ALPHA Kids, alloy 6061, 0,75" rise, 660mm, 31,8mm	RIDE ALPHA Kids, alloy 6061, 0,75" rise, 600mm, 31,8mm
Grips	COMMENCAL lock on, Ø32mm, soft compound	COMMENCAL lock on, Ø32mm, soft compound	COMMENCAL lock on, Ø32mm, soft compound
Brakes	SRAM DB1 180mm/180mm	SRAM DB1 180mm/180mm	SRAM DB1 160mm/160mm
Shifters	SRAM X5 9s	SRAM X5 9s	/
Front Mech	E13 LG1	1	/
Rear Mech	SRAM X5 9s	SRAM X5 9s	/
Bottom Bracket	RIDE ALPHA Pressfit 92mm, Sealed bearings	RIDE ALPHA BB 68mm, cartridge bearings	RIDE ALPHA EB24 73mm sealed bearings
Cranks	RIDE ALPHA 2 pieces Crankset, 32T Narrow Wide Alloy Chainring, 160mm crankarm	RIDE ALPHA 2 pieces Crankset, 32T Narrow Wide Alloy Chainring, 152mm crankarm	RIDE ALPHA 2 pieces Crankset, 34T alloy, 145mm crankarm
Chain	KMC 9s	KMC 9s	KMC HalfLink HL710 Black
Cassette	SRAM PG920 11-34T	SRAM PG920 11-34T	14T sprocket
Rims	RIDE ALPHA DH, 32H double wall, 650b	RIDE ALPHA Kids 20", 32H double wall	RIDE ALPHA Kids 20", 32H double wall
Hubs	RIDE ALPHA Kids, 32H, 15mm Front, 142x12 Rear, sealed bearings	RIDE ALPHA Kids, 32H, 15mm Front, 142x12 Rear, sealed bearings	RIDE ALPHA Kids, 32H, 20mm Front, nutted type Rear (9s freewheel ready)
Spokes	CN Spoke Steel 2mm black - brass 12mm black	CN Spoke Steel 2mm black - brass 12mm black	CN Spoke Steel 1,8mm black - brass 12mm black
Tires	MAXXIS High Roller II, 27,5x2.30, 60 tpi, Kevlar bead, TLR, EXO	KENDA Kinetics 24" x 2,35 wirebead	KENDA Kinetics 20"x 2,35 wirebead
Seatpost	RIDE ALPHA DH,31,6mm, 300mm	RIDE ALPHA Kids, alloy Pivotal, 31,6mm, 300mm	RIDE ALPHA Kids, alloy Pivotal, 31,6mm, 300mm
Saddle	RIDE ALPHA DH, Cr-mo rails	RIDE ALPHA Kids Pivotal	RIDE ALPHA Kids Pivotal
Bike Weight	N.A.	N.A.	N.A.
Moto	Platestels	Detected	Flat and also

ETA HT 24 EW 2015 META HT 24, alloy 6061 triple butted, Top tube hidden cable path	META HT 20	RAMONES 24
W 2015 ME IA HT 24, alloy 6061 triple butted, Top tube nioden cable path		
	NEW 2015 META HT 20, alloy 6061 triple butted, Top tube hidden cable path	NEW RAMONES 24" alloy frame
DE ALPHA 24" Disc, 70mm Travel	ALPHA 20" Disc, 50mm Travel	SUNTOUR XCT JR 24, 50mm
	1°1/8 Semi integrated, ZS44	1"1/8 loose ball
DE ALPHA KIDS, Alloy 6061 CNC, 35 mm, 0° rise, Ø31,8mm	RIDE ALPHA KIDS, Alloy 6061 CNC, 35 mm, 0° rise, Ø31,8mm	COMMENCAL alloy 7°, 30mm, Ø25,4mm
DE ALPHA KIDS, Alloy 6061, 0,75" rise, 640mm, Ø31,8mm	RIDE ALPHA KIDS, Alloy 6061, 0,75" rise, 580mm, Ø31,8mm	COMMENCAL alloy 6061, 620mm, Ø25,4mm, 1" rise
DMMENCAL Ø32mm	COMMENCAL Ø32mm	COMMENCAL kids, 130mm
RAM DB1 160mm/160mm	SRAM DB1 160mm/160mm	Kids V-Brakes alloy
RAM X5 1x9 spd	SRAM X5 1x9 spd	SHIMANO RevoShift 7 speed
	1	1
RAM X5 9 spd Medium cage	SRAM X5 9 spd Medium cage	SHIMANO Acera 7 speed
guare BB 68x118mm	Square BB 68x118mm	BSA 68mm, ball retainer
DE ALPHA 152mm 32t Narrow Wide	RIDE ALPHA 145mm 34t Narrow Wide	Kids 152mm alloy, 36T, double chainguard
ban 9 spd	Yaban 9 spd	KMC 1/2"x3/32" 7s
RAM PG920 11-34T	SRAM PG920 11-34T	SHIMANO Tourney 7s 14-28
DE ALPHA 24" 32H	RIDE ALPHA 20° 32H	COMMENCAL 24" alloy 6061, 36H
2H 9mm	32H QR 9mm	36H, QR front and nutted type rear
8mm with 12mm brass Nipples	1,8mm with 12mm brass Nipples	2mm steel black - nipples steel black
ENDA Small Block 8, 24" x 2,10"	KENDA Small Block 8, 20" x 2,10" black	KENDA K-RAD 24x2,1
DE ALPHA 300x31.6 mm	RIDE ALPHA Alloy No offset, Ø31,6mm, 300mm	COMMENCAL alloy 27,2x300mm
DE ALPHA, Crmo rails	RIDE ALPHA, Crmo rails	Kids saddle, black
.3 kg	10.3 kg	11.5 kg
at pedals	Flat Pedals	Flat Pedals
T/I DE DE DIV RA  RA  QUE DE	8 Semi integrated, 2544 ALPHA KIDS, Alley (9651 cb)C, 35 mm, 0" rise, 631,8mm ALPHA KIDS, Alley (9651 cb), 25 mm, 0" rise, 640mm, 831,8mm M SE1 1560mm 190mm M SE1 1560mm 190mm M X5 1x9 Sept Modium cage we 86 68x118mm P Sept M SE2 152mm 321 Karrow Wide W F Sept M SE2 152mm 321 Karrow Wide W F Sept M SE2 152mm 321 Karrow Wide W F Sept D 1-34TT ALPHA 152mm 321 Karrow Wide Sem we mill 122mm brass Nipples D A Small Block 8, 24" x 2, 10" ALPHA 152mm 521 Karrow Wide Sem we mill 122mm brass Nipples D A Small Block 8, 24" x 2, 10" ALPHA 540mm 540mm 190mm	Semi integrated, 2544   11-16

MODEL NAME	RAMONES 20	RAMONES 16	RAMONES 14	RAMONES 12
Frame	NEW RAMONES 20" alloy frame, smaller dropouts	NEW RAMONES 16" alloy frame, lower BB, smaller dropouts, 1"1/8 headtube	NEW RAMONES 14" alloy frame	NEW RAMONES 12"alloy 6061, Extended foot paltform, disc brake ready
Shock	1	1	/	1
Fork	SUNTOUR XCT JR 20°, 40mm	COMMENCAL 16" straight rigid fork	NEW COMMENCAL 14" straight rigid fork	COMMENCAL 12" straight rigid fork
Headset	1°1/8 loose ball	1"1/8 loose ball	1"1/8 loose ball	1"1/8 loose ball
Stem	COMMENCAL alloy 7°, 30mm, Ø25,4mm	COMMENCAL Alloy 7°, 30mm rise, ø25,4mm	COMMENCAL Alloy 7°, 30mm rise, ø25,4mm	COMMENCAL Alloy 7°, 30mm, ø25,4mm
Bars	COMMENCAL alloy 6061, 560mm, Ø25,4mm, 1" rise	COMMENCAL alloy, Ø 25,4mm, 500mm, 1" rise	COMMENCAL Alloy 6061, 480mm, ø25,4mm, 1° rise	COMMENCAL Alloy 6061, 460mm, ø25,4mm, 1" rise
Grips	COMMENCAL kids, bmx flange, 110mm	COMMENCAL kids, bmx flange	COMMENCAL kids, bmx flange, 92mm	COMMENCAL kids, bmx flange, 92mm
Brakes	Kids V-Brakes alloy	Kids V-Brakes alloy	Kids V-Brakes alloy	
Shifters	SHIMANO Revo Shift 7s	/	/	/
Front Mech	1	/	/	1
Rear Mech	SHIMANO Acera 7s	/	/	/
Bottom Bracket	BSA 68mm, ball retainer	BSA 68mm, ball retainer	BSA 68mm, ball retainer	/
Cranks	Kids 140mm alloy, 36T, double chainguard	Kids alloy , 114mm, 32T , double chainguard	Kids 102mm steel, 28T; with chaincover	/
Chain	KMC Z50	Singlespeed	C-410 1/2"x 1/8" black singlespeed	/
Cassette	SHIMANO Tourney 7s 14-28	Freewheel 16T	Freewheel 16T	/
Rims	COMMENCAL 20" alloy 6061, 36H	COMMENCAL alloy 16*, 28 holes	COMMENCAL 14" alloy 6063, 20H	COMMENCAL 12" Alloy 6063, 16H
Hubs	36H, QR front and nutted type rear	28 holes / QR front hub / nutted rear hub	20 holes, QR front, nutted type rear	16 holes nutted hubs, rear hub disc ready
Spokes	steel black - nipples steel black	2mm, steel black 12mm steel black	Steel black, nipples steel black	Steel black - Nipples steel black
Tires	KENDA K-RAD 20x2,1	KENDA K905 16" x 2,125	KENDA K50 14x2,125	KENDA K-RAD 12°x 2,125
Seatpost	COMMENCAL alloy 27,2x300mm	COMMENCAL alloy black, 27,2mmx250mm	Steel black ø 27,2mm, integrated with saddle	Steel black ø 27,2mm, integrated with saddle
Saddle	Kid saddle black	Kid saddle black	Kid saddle, black	Kid saddle, black
Bike Weight	10.4 kg	7.7 kg	7.9 kg	4.5 kg
Note	Flat Pedals	Flat Pedals	Flat Pedals	

MODEL NAME	META HT AM Cr-Mo Limited		VIP META TRAII		El Camino	
			META V4 Trail 650b, Travel 120mm, 6066 Triple Butted hydroformed, Integrated Postmount, Top tube channel		El Camino 650B, aluminium 6061 with Rear Carrier Bolt Base(M/L/XL) without Rear Carrier Bolt Base(XS/S)	
Shock			ROCKSHOX Monarch RT3 190x51mm		1	
ISCG Mount	ISCG 05		ISCG 05		1	
Colour	Black Matt		Orange Neon/Black Matt finish Full Black Matt finish		Matt Titanium Grey, Neon Pink matt	
Frame Weight	2.6 kg		3.2 kg		1.9 kg	
MODEL NAME	VIP META SX 26	VIP SUPREME DH V3 Park 26		ABSOLUT AL 26		VIP UPTOWN AL Signature 29
Frame	META SX 26", Travel 160mm, 6066 Triple Butted hydroformed, Piggyback ready chainstay	SUPREME DH PARK 26", alloy hydroformed, Travel 200mm, light version internal routing, Rampage Geometry		ABSOLUT al V3 frame 26, hidden cable path, BB anti spinning system		NEW Uptown Al 29, Internal cable routing, tapered headtube, eccentric BB, Integrated stays and postmount, fenders and rack re
Shock	ROCKSHOX MONARCH PLUS RC3 Debonair, 200x57mm	ROCKSHOX VIVID RC2 240x76mm		1		NEW Uptown Aloy 29", integrated design tapered headtube, fenders ready