


@COMMENCAL™

www.commencal-jp.com

2019



Vol:01

About Commencal



ヨーロッパ圏内でのレース活動はチームバスとカーゴがベースになります。



DOWNHILL

コメンサル社の創業者、Max Commencal の口癖。「ダウンヒルは、自動車の世界で例えると、F1 レースのようなものだ」。SUPREME DH V4 は、ダウンヒル界の孤高の星となってライダーの憧れとなり、世界一ハードなアンドラのコースに向けてのジオメトリ開発と High Pipot Point コンタクトシステムによって外観と乗り味に世界中が驚かされました。2015年9月、アンドラでのダウンヒル世界選手権で正式に公開された V4 は、瞬間に表彰台を獲得。特殊な外観に疑問符を投げかけたレーサー、メディアのネガティブなコメントを撃破。そしてこの2018年、伝説化されるであろうピエロンの三連覇を含む UCI ダウンヒル最強の称号を手に入れることができました。

ENDURO/TRAIL Full Suspension

コメンサルが世界に誇るベストセラー 27.5 PLUS フルサス、META AM と TRAIL。エンデューロでは、META AM。里山では、META TRAIL。どちらの META V4 も、昨年モデルチェンジを敢行。METAV4.2 となり生まれ変わりました。META はコメンサルの分身であり、礎です。世界中のプレスやメディア、トップレーサーにそのシンプルなお観の美しさと、リジットライクな登坂性能、前輪が浮くほどのコーナー出口の加速力を支持され、世界のエンデューロレースの表彰台を席卷。レーサーばかりでなく下りの好きな奴等のセッションやフォトシューティングでリスペクトされました。いかなるシーンでも、美しく、速く、だれよりもスタイリッシュに。2017 は METRIC と BOOST という、2つの大きな武器を追加装備し、さらなる臨戦態勢を図り、この武器により、乗り手を選ばないマシンとなりました。驚異的な脱出スピードに加えてコーナリング中の安定感がさらに増しました。この2018年より29erの登場となり、デビューウィンを含む数々の勝利をつかみました。



UCI 年間タイトルを獲得した表彰式でのアモリー・ピエロン。
コメンサルにとっても歴史的な快挙



シーズン途中、誇らしげにその日の出番を待つサポートライダーのゼッケン、男女ともにランキングトップが揃うことも珍しい光景。

AM/TRAIL HARDTAIL

もし、あなたが限られた予算で MTB を購入するのなら… 同じ価格帯であれば、廉価なフルサスペンションバイクもいいですが、まず一台目は優秀なハードテールバイクを選択した方が良いでしょう。具体的に言うと、新しい META HT AM は、27.5 PLUS と 29er、両方使えるフレームであり、ホイールの特長を生かしたハードテールエンデューロバイクであり、下り坂を征服する能力の高さ、すなわち耐久性、耐衝撃性、剛性などを優先して設計され、ハードな衝撃に耐える能力を備えています。遊び心いっぱいの、下りを楽しむバイクとして、好みに応じて、戦闘的な長いストロークのフォークや、チューブレスレディのホイール（低圧＝グリップ力重視）、テレスコピックシートポスト、RIDE ALPHA パーツなどでカスタマイズすれば、このバイクは今シーズンあなたと共に、さらに敵なしになってしまうことでしょう。

DOWNHILL

SUPREME に採用されている HPP (ハイポットポイントサスペンションシステム) は目新しい構造ではありませんが、その性能は 2018 年のコメンサルのワールドカップでの快進撃を見ていただければズバリそれが答えかと思われます。間違いなくワールドカップサーキットという最もハードなテストコースでの 3 連勝を含む快挙は、他でもないこのバイクの構造がこの時点で世界最高のシステムだと、もはや説明すら不要かと思われます。ペダリング時のアンチスクアット効果やキックバックの減少など、メリットを集結させたこの構造も、トライアンドエラーを繰り返すこと 4 年!!! ついに 2017 から 27.5 PLUS 29 インチバイクの併用を経てワールドカップで最強の称号を手にすることができました。その乗り味は、その見た目は裏腹に、恐ろしくスムーズで、何も気にならず、走りに集中できます。ただただ速いこのバイクはセッティング次第で超ラグジュアリーダウンヒルバイクにも変身してくれるので、そこはご安心ください。



練習走行中のピエロン 2018 は特にエアユニットとコイルユニットのテストに時間をかけ、その結果、UCI ダウンヒル全カテゴリーでの表彰台獲得率 30% の偉業を達成することができました。

SUPREME DH 29" Signature

価格(税別) ¥999,800 完成車

- サイズ: M/L/XL
- カラー: Orange Camo
- トラベル量: 203mm (フロント) / 200mm (リア)
- ヘッドアングル: 63.5°



Orange Camo



山岳で行われるレースは、勝利を目前に雨が降り、番狂わせも珍しくはない。それもマウンテンバイクレースの魅力。



ユース時代からのサポートしている、長い信頼関係のピエロン(左)とCEOのマックス・コメンサル(右)、今年は共に何度も勝利の美酒を味わった



果敢にロックセクションに挑むミリアム・ニコル、女子最速ライダーの一角として、表彰台も常連組

SUPREME DH 29" TEAM

価格(税別) ¥849,800 完成車

価格(税別) ¥299,800 フレーム(リアユニットレス)

- サイズ: M/L/XL
- カラー: Team Replica
- トラベル量: 200mm (フロント)
: 200mm (リア)
- ヘッドアングル: 63.5

29er 時代へ突入しているワールドカップシーン、29er は確かに速い、しかも実績も申し分ないです。開発のスピードも目まぐるしい中、我々は COMMENCAL があえて無理な設計の S サイズを投入してこなかったことに対して安心しました。本国アンドラでも女性ライダーや 170cm 以下のライダーは 650b 仕様をメインにライディングしています。やはり遊び道具には適したサイズがあり、その枠を超えた無理な設定は無意味となることを理解しているブランド魂に感心しました。650b 仕様もスタンダードモデルとして 29er と併売いたします。このパフォーマンスはすべての SUPREME ユーザー共通のダウンヒルウェポンとなります。



Team Replica



出番を待つ SUPREME DH29er



アモリー・ピエロン



Supreme DH 29"

価格 (税別) ¥299,800 / Brushed フレーム (リアユニットレス)
 価格 (税別) ¥349,800 / Grey Anodize フレーム (リアユニットレス)

- サイズ : M/L/XL
- カラー : Brushed, Grey Anodized (2colors)
- トラベル量 : 200mm (推奨フォーク長)
 : 200mm (リアユニットサイズ 250 × 75mm)
- ヘッドアングル : 63.5°

29er



Brushed

Grey Anodized



通称 PONPON の愛称で絶大な人気のミアムニコル。彼女は 650B 仕様で転戦。

Supreme DH V4.2 650B

価格 (税別) ¥369,800 フレームセット (リアユニット付き : Rock Shox Vivid R2c)

- サイズ : S
- カラー : Black Anodised
- トラベル量 : 200mm (推奨フォーク長)
 : 200mm (リアユニットサイズ 267 × 89mm)
- ヘッドアングル : 63.5°

650B



Black Anodized

Supreme DH V4.2 650B


価格 (税別) ¥349,800 フレームセット (リアユニット付き : Rock Shox Vivid R2c)

- サイズ : S
- カラー : Brushed
- トラベル量 : 200mm (推奨フォーク長)
 : 200mm (リアユニットサイズ 267 × 89mm)
- ヘッドアングル : 63.5°

650B



Brushed



Supreme DH V4.2 HPP



従来 V3 タイプ



ENDURO SX

君に、この Supreme SX という翼を与えよう、君はこのフィールドのロックスターになる！ Supreme DH V4 コンタクトシステムと同設計の、少ないキックバックと最適化されたアンチスクワット効果によるリアグリップ力の確保。METRIC 規格のリアサスペンション (230 × 65 mm) をインストールできる新設計。グリップ重視の V3 システムとは真逆の味付けであり、コメンサルの双璧をなす V3 と V4。いつものコースにどちらを持ち込むかはあなた次第！理想のペダリングポジションを確保するためにシートアングルを 75° に設定し、180mm リアトラベルフレームへは 160/170mm フロントフォークが対応。ポストマウント 180mm ローター対応の BOOST 規格。

SUPREME SX 27.5

価格 (税別) ¥649,800 **完成車** 価格 (税別) ¥349,800 **Vip フレーム (リアユニット付き : Rock Shox Super Delux RC3)**

- サイズ : S/M
- カラー : Matt Black
- トラベル量 : 180mm (フロント) (推奨フォーク長 170mm ~ 180mm)
: 180mm (リア)
- ヘッドアングル : 65°



Matt Black

MAX からのメッセージ

2019 はコメンサルのマウンテンバイクにとって、ジャンルを問わずあなたにとって最高の一台が見つげられるように、新たなアプローチが試される年になりそうです。

すべてのパーツ、コンポーネントはその性能や適合性に対して、一切の妥協をすることなく、見直されました。新機種種の CLASH をはじめ、Jr シリーズ、META、そして新時代を迎える 29 インチ採用モデルなど、単純に旧フレームの見直しにとどまらず、完全新設計となりました。

29 インチのメリットを引き出した時のパフォーマンスには驚かされることばかり。コンペティションの世界ではもはや 29 インチ時代なのかと思わざるえませんが、27.5 は引き続きトレールでそのメリットを生かしてくれると思います。

Max Commencal



マックスコメンサル、アンドラ共和国にベースを構えるコメンサルブランドの CEO。(COMMENCAL CONNECTION での挨拶)

CLASH

CLASHは、小型版の FURIOUS を作っただけにとどまらず、どこかに楽しい、「悪くないねー!!!これ最高!!!」といったジャンルを作りたかったこと自体がコンセプトです。どこかに特化しているわけでもないけど、「楽しすぎるバイク」それが新登場の「CLASH」です。各ピボットは大径のベアリングを採用、ブレーキング時にサスペンションが影響を受けない設計となっています。ライダーがコマ何秒を気にすることなく山の中をぶっ飛ばして走れる性能は折り紙付きです。本国のデビュー動画では既に予想外のライディングを披露しています。



CLASH Signature

価格(税別) ¥799,800 **完成車**

価格(税別) ¥249,800 **フレーム(リアユニットレス)**

- サイズ: S/M/L/XL
- カラー: 2Tone Blue
- トラベル量: 180mm (フロント) / 165mm (リア)
- ヘッドアングル: 65°



2Tone Blue

CLASH Race

価格(税別) ¥649,800 **完成車**

価格(税別) ¥249,800 **フレーム(リアユニットレス)**

- サイズ: S/M/L/XL
- カラー: Grey Crome
- トラベル量: 180mm (フロント) / 165mm (リア)
- ヘッドアングル: 65°



Grey Crome

CLASH Origin

価格(税別) ¥399,800 **完成車**

- サイズ: S/M/L
- カラー: Slate Grey / Grey GOLD (2colors)
- トラベル量: 180mm (フロント) / 165mm (リア)
- ヘッドアングル: 65°



Grey Gold



Slate Grey



CLASH

価格(税別) ¥249,800 **フレーム(リアユニットレス)**

- サイズ: S/M/L/XL
- カラー: Brushed
- トラベル量: 170mm~180mm (推奨フォーク長)
: 165mm (リアユニットサイズ 230 × 65mm)
- ヘッドアングル: 65°



Brushed

NEW META V4.2 Frame Technology

ジオメトリ



Meta AM29er のデビューウィンを支えたセシルとユアン、合わせて今季3勝！

2019年度、META V4.2 29 インチはエンデューロ WC において輝かしい成績を残しました!!! META V4.2 はハイピボット化することで、ホイール軌道を最適化しています。その結果として、バイク全体の動きがさらに進化。重心位置が集中することでバイクとの一体感が高いのも、META V4 の魅力のうちの一つです。R サスペンションユニットの選択幅も広く、幅広いセッティングでのバイクのセットアップが可能となった今、エンデューロシーンでは、エアーとコイルを使い分けて参戦するのが当然の環境になっています。V4.2 はレースからのフィードバックにより少しずつ熟成を重ねてきたコメンサルの代表的なバイクとなり、エンデューロ WC から、里山遊びまで、この V4.2 の許容範囲は無限大です。ライダー次第ではダウンヒルバイクをちぎることも可能です！



フレーム設計

COMMENCAL はアルミにこだわります。META は素晴らしい機械特性をもつ 6066 アルミを用い、強固な耐久性を確保する為に、熱処理やショットピーニングで慎重に組み上げられるので、アルミ=安いフレームではない、テクノロジーの集合体となっています。全てのチューブがトリプルバテッド、その材料は重量と信頼性の比率が最適になるよう成型されており、運動学とジオメトリーを完璧に両立するために、すべてのリンクは溶接後に機械処理されています。また、アクスルは全て 7075 アルミから製造され、耐久性と精度を目的とした大口径ベアリングと合わせて最高のパフォーマンスを発揮します。META V4 は先に開発された META V3 とは全くの別物です！それは間違いなく、その思惑は、フレーム構造の簡略化、それに伴うフレーム重量の最適化であり、ショックを除いた状態で 3.0kg と、V3 よりも確実に軽くなっています。軽くするのは簡単ですが、コメンサルにとって、最優先事項は信頼性です。誰もが山を一周するようなロングライドに出かけた際、トラブルによりバイクを押して帰りたいくはないと思います。コンパクトなリンクage とシンプルなドロップアウトを用いることにより、COMMENCAL は信頼性を犠牲にすることなく、軽量化を達成する新たな手法を見出し

した。トップチューブは 3 ピース構造であり、フレーム構造の心臓部です。トップチューブのショック用トンネルは METRIC 対応となり大径化。そのため、快適な乗り心地と、先進的な外見を生み出し、非常に低いスタンドオーバーハイトを確保しています。ショックはフレームのかなり高い位置にあり、ハイレベルなライダーによるモーションでもクイックな操作が可能となります。リアトライアングルは剛性の最適化を狙ってデザインされています。昨シーズンより BOOST 規格となり、さらなる剛性アップと登坂性能の向上を獲得しています。しかし META V3 より 3 割も硬くなったとか、そういうワケではないのです。実際には、前モデルよりもやや柔らかくなっています。COMMENCAL は、剛性とはイコール、バランスの事だと考えています。より剛性の高いフレームは、非常にキビキビした乗り味となりますが、それは同時に、木の根っこや岩、逆キャンパーでグリップすらしらないものとなってしまいます。これが、COMMENCAL が剛性を考える上で常に最適点を模索する理由です。COMMENCAL の剛性チューニングは、あらゆるコンディションにおいて最高のグリップ力を提供し、ライダーのタフなライディングに耐える精度を誇ります。



エンデューロレースともなると、トリッキーなセクションでの観客の応援でライダーも力が入る





AM ENDURO

"The only Thing That's changed is everything."

今シーズン、META がまた更に進化しました。フロントフォークトラベルが 170mm 対応になり、さらなるフロントのグリップ力を獲得。ストローク感、走行性能、安定性、耐久性すべてを向上。インテグラルケーブルバス + 新ワイヤーガイドはより効果的にワイヤー類を保護し、スッキリとした外観に寄与。専用設計の上下を保護するチェーンステープロテクターは、シンプルルックスを保ったまま、リアのシフトワイヤーガイドも兼ねている。このフレームは、見た目もスマートで軽量感のある 1X 専用設計。一度このシステムを体感すれば、二度と 2X には戻りません。

Topics

- BOOST 規格
- リア 160 ミリトラベル、フロント 170 ミリトラベル対応フレーム
- ボトムブラケット部のケーブルガイド
- ダウンチューブプロテクター
- フレキキャリバー部のクリアランス拡大
- 新トップチューブ、METRIC 規格対応の幅広形状

南米のエンデューロレースは観客で次のコーナーが見えないほど盛り上がる（ターマック区間）

META AM 29" Signature

価格（税別）¥799,800 完成車

- サイズ：S/M/L
- カラー：Orange Camo
- トラベル量：170mm（フロント）
：160mm（リア）
- ヘッドアングル：65.5°



Orange Camo

META AM 29" Race Sram

価格（税別）¥649,800 完成車

価格（税別）¥249,800 フレーム（ユニットレス）

- サイズ：S/M/L
- カラー：Flat Grey Sram Red
- トラベル量：170mm（フロント）
：160mm（リア）
- ヘッドアングル：65.5°



Flat Grey Sram Red

META AM 29" Ride

価格(税別) ¥499,800 完成車

- サイズ: S/M/L
- カラー: Flat Grey
- トラベル量: 170mm (フロント)
: 160mm (リア)
- ヘッドアングル: 65.5°



Flat Grey

META V4 は、非常に高い位置にピボットを配置し、ホイール軌道を最適化している。その結果として、バイク全体の動きを改良することにもなった。新しい METRIC 規格のリアショックの取り付け位置は、ライダーがショックを操作しやすいだけでなく、リアショックの選択肢をひろげ様々なグレードアップが楽しめる。山の中では、誰もがリモートのハンドル装着を好んでいるわけではない。ショックのポジションをライダーにより近い位置にする事で、あなたが必要とする最適なセッティングを選択しやすくなった。



META AM 29"

価格(税別) ¥279,800 フレーム(リアユニットレス)

- サイズ: S/M/L/XL
- カラー: Burgundy / Brushed (2color)
- トラベル量: 170mm (推奨フォーク長)
: 160mm (リアユニットサイズ 230 × 60mm)
- ヘッドアングル: 65.5°

29er



Brushed



Burgundy



ALL MOUNTAIN HARDTAIL

まるで反乱軍のようだ、とよく言われる。そのアグレッシブなデザインとスペック。さらに、新しいアルミフレームが加わり、我々の愛する META AM HT (ハードテイル) は、戦力を強化。活動範囲を拡大中である。これこそが、あなたの心に宿る反骨精神を絶やさないために存在する孤高のバイク。我々の心に宿る反骨精神を具現化したのが META HT シリーズであり、今年はスルーアクスルに対応した新アルミフレームが登場。その大胆なデザインと狙いすましたエンジニアリング、アルミの持つ剛性感と、ショートストロークサスペンションバイクのようなソリッド感。たわみ、ねじれ、コーナリングスピードの高さ、すべてのラグジュアリー感を持ったクロモリ。そう、流行り廃りのない、ただシンプルに MTB に対するニーズを形にしたモデル。どのバイクも、恐ろしいまでのコーナリングスピードとコーナー脱出時の加速力、面白さ、力強さがあり、まさに“レーシングビースト”である。

META HT AM Cr-Mo 650B

価格(税別) ¥139,800 フレーム

- サイズ: S/M/L/XL
- カラー: Matt Green / Shiny Black (2color)
- トラベル量: 160mm (推奨フォーク長)
- ヘッドアングル: 65°

META AM HT



Matt Green

Shiny Black

イギリスと日本は島国だからなのか、クロモリが好きだよね! コメンサルのマニアックな開発スタッフによく聞かれる質問です。クロモリを使う意味が分かっているメーカーならではのジオメトリーと、シートステーをフリーにすることで生まれる路面追従性の高さ、粘りなど、腕の立つライダーにはたまらないスペックです。ハイエンドダウンヒルバイクを所有するライダーのセカンドバイクとして META HTAM クロモリを選択するライダーが多いのはその反動かと考えられます。もちろんメインバイクとしてもスチールモデルを選択するのはあります。

META HT AM 650B LIMITED

価格(税別) ¥159,800 完成車 価格(税別) ¥79,800 フレーム

- サイズ: S/M/L
- カラー: Yellow
- トラベル量: 140mm (フロント)
- ヘッドアングル: 65.5°



Yellow

META HT AM 650B LIMITED

価格(税別) ¥79,800 フレーム

- サイズ: S/M/L
- カラー: Matt Black / Yellow (2colors)
- トラベル量: 140mm (推奨フォーク長)
- ヘッドアングル: 65.5°



Matt Black

フレームの信頼性と開発については非常にこだわっている。信頼性は我々の最優先事項だ。フレームはコンピューター解析によって、可能な限り軽量化しつつ、どんな使用下、とくにダウンヒルセクションでも破損しないよう設計される。このハードテイルも独自に開発し、フレームの使用状況を再現、それをフィードバックしてデザインしてきた。フレームへの負荷や疲労テストの限界点を、非常に高い基準に設定し、あらゆるライダーが安全にライディングできることを保障している。インナーケーブリングルーティングに見えるが、実はメンテナンス性を考慮したワイヤーの取り回しも、実戦仕様として評価が高い。

なんでもできる。どこにでも行ける。それが、創業以来のコメンサル、いわばスーパーノーマルの考えだ。そのスーパーノーマルの考え方を継承すべく、2019はこのモデルが存在。しなやかなリア 135mm 幅のクイックリリース仕様(QR)が存在する理由なのだ! このモデルがあり続けるために、いくつかの要因が絶対に不可欠である。登りも下りも、他社ではまねのできない安定感のある乗り味。これこそが、MetaHT AM の真骨頂。

META HT AM 29" RACE

価格(税別) ¥349,800 完成車

価格(税別) ¥89,800 フレーム

- サイズ：S/M/L/XL
- カラー：2tone Blue
- トラベル量：150mm（フロント）
- ヘッドアングル：65°



2tone Blue

META HT

クロモリとは真逆の、ソリッド感を持ったアルミハードテイル。山の中でラグジュアリーな感覚など必要ないというポリシーを持ったあなたに。リアに"BOOST"規格を採用、148x12mm / 2.6インチ幅のタイヤによる剛性とグリップの調和が、あなたの心をはっきりと掴んでしまうに違いない。大きなギャップでも"ハードテイルだから"とは言わせない、さあMETA HT AMの準備は整った。武骨な乗り味と山の景色のコントラストがあなたの五感を虜にする。



META HT AM 27.5+ ESSENTIAL

価格(税別) ¥249,800 完成車

価格(税別) ¥84,800 フレーム

- サイズ：S/M/L/XL
- カラー：Grey Gold
- トラベル量：160mm（フロント）
- ヘッドアングル：65°



Grey Gold

META HT

コーナーではよく曲がるのにコントロール、下りは誰よりもグリップするのになぜかよく登る。そう、これこそがコメンサルのハードテイルの神髄。軽くて、強いトリプルバテッドアルミニウムフレーム。リアサスペンションなしのフレームだからこそ、コメンサルの一級品のコーナリングを楽しめる。今年はBOOST規格の剛性と、幅広のタイヤを身に着け、さらにグリップ力に磨きがかかった。さて今週末はどのトレイルを誰よりも早く走ろうか？



META HT AM 27.5+ Origin

価格(税別) ¥164,800 完成車

- サイズ：S/M/L
- カラー：Burgundy Matt / Light Grey With Japan Edition Color (2colors)
- トラベル量：160mm（フロント）
- ヘッドアングル：65°

META HT

原点として君臨する HT (ハードテイル) モデルにジャパンエディションが限定で追加されることになった 2019 はコメンサルと長年育んできたジオライドジャパンとの信頼関係の証です。ちょうどコメンサルの本拠地のアンドラ共和国の山々の斜度が日本の山に酷似している事からも、日本の山での取り回しも意外に抵抗なく馴染めます。コメンサル本人が、「中途半端なりアサモデルを買うより、本気なハードテイルモデルを最初に買ったほうがいい」と言い切るように、コメンサルのハードテイルバイクの設計に妥協といった文字はありません。



Light Grey
with Japan Edition Color



ライトグレイカラーには日本の国旗をモチーフにしたデザインロゴ入り



Burgundy Matt

ABSOLUT

クォーターから勢いよく空へ舞い上がる一瞬、世界が止まる。華麗で正確なメイクを決め、ふわりと着地する。あまりの美しさに、あなたはわが目を疑うだろう。ABSOLUTで描かれるアートの世界へ、ようこそ。定評あるアンチスピニングシステムは今年も健在、トリック中の刹那にもクランクのスピンを停止することができるシンプルな機能。まさに時が止まる瞬間、トレイルボスがあなたの成長に微笑む。トレールの仲間があなたにハイタッチをもとめる。



ABSOLUT

価格(税別) ¥179,800 **完成車**

価格(税別) ¥89,800 **フレーム**

- サイズ: Short / Long
- カラー: Burgundy Matt
- トラベル量: 100mm (フロント) (推奨フォーク長 100mm ~ 120mm)
- ヘッドアングル: 69°

相変わらずの全長の短さ、コンパクトなジオメトリが織り成すエアアの数々。26インチのダートジャンパーは、こいつしかない。新コンボNXを装備した完成車で、今からダートジャンプを始めるのも悪くない。シングルスピードトリックマスターはストリート、ダートを問わず芸術家向けの26インチ決定版。



Burgundy Matt

26"





SHORT TRAVEL ENDURO

進化が止まらないワールドクラスのエンデューロシーン、そのコースの為にMETA AMはストロークアップを図り、29インチモデルはデビュー戦を優勝という最高の形で無事終えることができました。このTRAILモデルはそのAMの進化のフィードバックをそのままに、日常のトレイルライディング用にストロークを最適化しています。どのようなシチュエーションでも楽しみに変えてしまう。トレイルシリーズのフルサスモデルが持つ登坂性能とコーナリング時の脱出速度の速さ、加重をかけた時の回頭性の良さ、そして29erだからこそ感じ取れる走破性、きっと誰よりも満足いく乗り味を満喫できるとお約束します。

AM, TRAIL 問わず、コメンサルのバイクの開発はすべて現場でのフィードバックからなる

META TRAIL 29" British Edition

価格(税別) ¥699,800 **完成車**

- サイズ: S/M/L/XL
- カラー: British Racing Green
- トラベル量: 150mm (フロント) / 130mm (リア)
- ヘッドアングル: 66.5°



META TRAIL 29" Essential

価格(税別) ¥549,800 **完成車**

- サイズ: S/M/L/XL
- カラー: Sand / Brushed (2colors)
- トラベル量: 150mm (フロント) / 130mm (リア)
- ヘッドアングル: 66.5°



META TRAIL 29" Ride

価格(税別) ¥449,800 **完成車**

価格(税別) ¥249,800 **フレーム (リアユニットレス)**

- サイズ: S/M/L/XL
- カラー: Grey
- トラベル量: 140mm (フロント) / 130mm (リア)
- ヘッドアングル: 66.5°



META TRAIL 29"

価格(税別) ¥249,800 **フレーム (リアユニットレス)**

- サイズ: S/M/L/XL
- カラー: Brushed
- トラベル量: 140mm~150mm (推奨フォーク長)
: 165mm (リアユニットサイズ 210 × 55mm)
- ヘッドアングル: 66.5°



EL CAMINO GL 29er

価格(税別) ¥99,800 完成車

- サイズ：S/M
- カラー：Shiny Red
- トラベル量：120mm（フロント）
- ヘッドアングル：67.5°



重要なのは目的地ではない、どうやってそこにたどり着くのか?『どうやっていく?』と聞かれたら、『コメンサルで寄り道しながら行こう』と答えてほしい。週末、『何して遊ぶ?』と悩んだときは『コメンサルを積んで、山へ行こう』と笑ってほしい。エントリーグレードではない、楽しむためのバイクが EL CAMINO であり、ステップアップしながら、カスタマイズしながら、スキルアップをするための EL CAMINO でもある。見て楽しいデザイン、乗って楽しいパーツ構成、曲がって驚くジオメトリーがコメンサルのものづくりの基本。手に入れたあなたは、未知のマウンテンバイクに必要な技術を素早く習得できるはず。



Shiny Red

29er

EL CAMINO 650B

価格(税別) ¥94,800 完成車

- サイズ：S
- カラー：Matt Black
- トラベル量：100mm（フロント）
- ヘッドアングル：68°

EL CAMINO



Matt Black

EL CAMINO 29er

価格(税別) ¥99,800 完成車

- サイズ：S/M/L
- カラー：Matt Black
- トラベル量：120mm（フロント）
- ヘッドアングル：67.5°

EL CAMINO



Matt Black

29er

META KIDS'

自分がマウンテンバイクに乗るときにはこだわるくせに…。と言われたことはあるかい？もしあなたが、家族や友人にこんなセリフを言われたときには、マックスコメンサルのことを思い出してほしい。なぜなら、創業者のマックスコメンサルはスキーの選手時代を思い出し、こう語ったからだ。

”自分の子供に、長すぎるスキー板（お母さんと兼用？）や短すぎるスキー板（兄弟で一セットをつかいまわし？）をはかせてスキーが上手になると思う？スキーブーツもそうだけど、そもそもスポーツとしての機材っていうのはね……

去年は、META HT に Jr. サイズの 650B ホイールが追加された。その話を聞いていたもの全員が、なにも反論できず、納得した。

キッズ育成にも熱心なコメンサル、キッズとは言え、ものすごいスピードで駆け抜ける強者だらけ

META HT Jr 27.5+

価格(税別) ¥199,800 完成車

- サイズ：650B+ (XS サイズ相当)
- カラー：Grey Gold
- トラベル量：140mm (フロント)
- ヘッドアングル：68.5°

24 インチからのステップアップにあたり、唯一抜けていたサイズがあった。Jr. サイズだ。このハードテイルバイクは、コンパクトである。女性にも乗ってほしい。が、一番乗ってほしいのは、スキルアップしたがっている 24 インチバイクの卒業生たち。いきなりフルサイズにも乗れず、かと言って、ジャストサイズの商品がない。なんてことだ、最も貪欲に吸収する年代に乗るマウンテンバイクが無いなんて!? 才能あふれる子供たちが、大人顔負けの走りができるのはこいつに乗り始めてからだ。負けるのが嫌だからと言って、買ってあげないようなずい親にはなるんじゃないぞ。



650B+

META HT 24+

価格(税別) ¥159,800 完成車

- サイズ：24+
- カラー：Grey Gold
- トラベル量：120mm (フロント)
- ヘッドアングル：67°

こいつは Red Bull Rampage に出場する、Kyle Strait を真似しはじめている子供たちには理想的なバイクである。META HT 20 と同様に、24 にも RIDE ALPHA キッズエンデュロフォークが付属している。コックピットにも、同じイメージをもってきた。ALPHA 40 ミリのステムと、640 ミリ幅のハンドルバー。クランクセットは 30 t のナローワイド。軽量で、よりシンプルな構造は最高のスペックだ! 贅沢な仕様。安全を約束するブレーキ。我々は、子供たちのために過保護にならぬよう気をつけねばならない。…ああ、やはり過保護になってしまった! 子供たちは、最高のものを若くして手に入れた。あとはスキルアップするのみ。さて、バイクはそろった。いまから、だれがライディングを教えてあげられるの?



24+

META HT 20+

価格(税別) ¥149,800 完成車

- サイズ：20+
- カラー：Grey Gold
- トラベル量：120mm (フロント)
- ヘッドアングル：67.5°

マウンテンバイクに跨るとき。我々は、妥協は一切したくない。なぜならライディングが台無しになるからだ。META HT 20 は、そのこだわりにより世界中のどのキッズレースでも優勝できる。これが真のハイエンドバイクということをしめる。RIDE ALPHA キッズエンデュロフォークとコックピット、600 ミリのハンドルバー。ただの豪華仕様ではない、信頼性ありきのパーツチョイスは安心のライディングをもたらす。小さな手にもフィットする油圧ブレーキは安定感をもたらす。その他にも、ナローワイドチェーンリングや SRAMX5 のリア変速、RIDE ALPHA ダブルウォールリムとケンダスラント 6 2.6 インチなど随所に大人顔負けの装備を奢り、軽量化と耐久性を高いレベルで確保。本物は、こうあるべきだ。



20+

KIDS'

彼らが走る成長という名の道のりにはブレーキなんてない。キッズバイクの唯一の評価方法は、子供たちの笑顔を数えること！たくさんの笑い声が良いバイクである証明だ！なぜコメンサルがキッズバイクを？とよくきかれるが、その答えは一つ！新しいライディングに挑戦してもらいたい。時に楽しみ、時に友達と競いながら。いつでも、どこでも、一人でもみんななどでも。コメンサルバイクは、偶然子供たちと出会ってしまった！そのホンモノのコメンサルジオメトリは、子供も大人も魅了する。



RAMONES 24+

価格(税別) ¥64,800 完成車

- サイズ：24+
- カラー：Red / Silver (2colors)
- ヘッドアングル：69°

ここから、真のマウンテンバイクライフのはじまりだ。そう、ここからが実用性と耐久性を兼ね備えたバイク。あなたの子供には、この素晴らしい自由を手に入れる資格がある。山を走り回る Ramones 24 を手に入れた子供たち。我々はもう彼らに追いつくことはできない。楽しむだけでなく、移動手段としても使いこなし、いつでも、どこでもいけるようになった。そのかわり、フルフェイスのヘルメットをサンツさんに頼まないといけないな…複雑な心境…サンツアー XCT フォーク、7 速トランスミッションとオフロード向けタイヤ、コックピットには、30 ミリステムと 620 ミリハンドルバー。本格的な装備の Ramones 24 は、子供たちにモノ以外の様々なものも同時に与える。



Burgundy

24+

RAMONES

RAMONES 20+

価格(税別) ¥59,800 完成車

- サイズ：20+
- カラー：Red / Silver (2colors)
- ヘッドアングル：69°

やっと、子供たちが 20 インチのバイクを必要とするときが来た！それは彼らが、本当のマウンテンバイクコースで楽しむ準備ができたということ。いつの間にか、大人の肩の高さまで迫ってきた背丈の子供たちには、こだわりの機材＝コメンサルバイクが必要となる。24mm ホイールベースを伸ばし、着地での安定感が増し、よりスキルアップ練習しやすくなるはずだ。そのため、Ramones 20 は 40 ミリtravelのサンツアー XCT フォークでセミリジットのセットアップとした。サスペンションフロントフォークは、もちろん快適。しかもリアル MTB で最高のルックス！同時に、満を持して速度変化を楽しめる年齢になった子供たちに、グリップシフトを装着。MTB コースが常に平坦だとはかぎらない。登りも下りもコレで攻める！



Silver

20+

RAMONES

RAMONES 16

価格(税別) ¥44,800 完成車

- サイズ：16
- カラー：Red / Team (2colors)
- ヘッドアングル：70°

レーシング MTB のような外觀。このバイクの乗りやすさ、跨ってすぐわかるだろう。ホイールベースが 13mm 伸びた。より安定感が増し、ジャンプの着地で転倒しづらいのは明白。それは公園のオフロードでも、サイクリングロードでも同じだ。この Ramones 16 は、14 と同じコンセプトで身長 100 センチ～120 センチくらいの子供たちに合わせたバイクだ。短いステムと子供用のブレーキが、子供たちにバイクを操る楽しさを教える。すべてのパーツとジオメトリが、ハードなコーナリングの練習にも耐えうるクオリティだ。また、我々はあえて 16 インチもシングルスPEEDとした。シフトチェンジに捕われない子供たちはバイクコントロールに集中できる。これらの細かいこだわりは、バイク全体としての乗りやすさに寄与。子供たちは純粋に、ペダルを回し、コーナリングを楽しみ、世界中のどこでも周りを気にせずタイヤをスライドさせることができる。早速、子供たちが愛するバイクで、子供たちを心置きなく遊ばせてみよう。




Team

RAMONES



Red



RAMONES 14

価格(税別) ¥39,800 完成車

- サイズ：14
- カラー：Red / Team (2colors)
- ヘッドアングル：70°

子供たちが初めてのソロライドを楽しむために生まれた 14 インチ。子供たちがライディングを学ぶこと、それが早すぎるなんてことは全くない! 3 歳から 5 歳ぐらいの子供たちのために、必要十分なスペックとコーナリングしやすいジオメトリをもつ。小さな手でも十分に握れる小さなブレーキレバーを装備。ステム、バー、グリップなどもライディングしやすい専用部品を採用。このあたりの年齢では、シングルスPEEDが最適で、ギアを変更する必要はない。タイヤは軽量タイプをチョイス。小さくてもコメンサルマインドを秘めている。手に入れた子供たちは、本当にラッキーだ。ただ、Ramones と一緒に必ずヘルメットとプロテクターもプレゼントしてあげてほしい。



Team

RAMONES



Red



RAMONES 12

価格(税別) ¥29,800 完成車

- サイズ：12
- カラー：Red / Team (2colors)
- ヘッドアングル：70°

欧州の子供たちは Hobby-Horse と呼ばれるおもちゃに飽きてきたころから、Ramones 12 でバランスと自転車の楽しみ方を学ぶ。そして、このバイクは子供たちの親友となる! 彼らはプロライダーと同じように、最初のバンクに乗って、バンクトラックに入り、コーナーを試し、夕方までグルグル回ってライディングを堪能することができる。ホイールベースが 7mm 短くなり、トップチューブが 14mm 伸びた。よりレース仕様、より高速巡行性能が高くなった。従来通り、広いフットプラットフォームは子供たちの姿勢を安定させ、RIDE ALPHA アルミハンドルステム&バーをはじめとしたアルミパーツをふんだんに使用した軽量マシンは、本格的なダウンヒル走行も視野に入れたディスクブレーキ台座をも備えている。いつだって本気、コレが Ramones 12。やりすぎた?



Team

RAMONES





Red



Geometry

BIKE	SIZE	① SEAT TUBE LENGTH	② SEAT TUBE ANGLE	③ HEAD TUBE ANGLE	④ HEAD TUBE LENGTH	⑤ WHEEL BASE	⑥ TOP TUBE LENGTH	⑦ CHAIN STAY LENGTH	⑧ BOTTOM BRACKET HEIGHT	⑨ FORK LENGTH	STAND-OVER HEIGHT	REACH	STACK	Height adaptation
SUPREME DH 29"	M	400	63.0	63.5	108	1233	619	439	-15	601	703	445.0	638.0	168-180
	L	400	63.0	63.5	108	1258	644	439	-15	601	703	470.0	638.0	178-190
	XL	400	63.0	63.5	108	1283	669	439	-15	601	703	495.0	638.0	188-210
Supreme DH V4.2 650B	S	400	66.0	63.0	108	1163	548	425	-5	590	703	380.0	607.0	151-170
SUPREME SX 650B	S	400	75.0	65.0	115	1145	562	420	-10	555	700	422.0	610.0	151-170
	M	420	75.0	65.0	120	1194	583	420	-10	555	710	442.0	615.0	168-180
Clash 650B	S	395	75.5	65.0	110	1184	581	434	-12	571	-	422.0	602.0	151-170
	M	440	75.5	65.0	115	1206	603	434	-12	571	-	442.0	608.0	168-180
	L	455	75.5	65.0	125	1235	631	434	-12	571	-	467.0	612.0	178-190
META AM 29"	S	400	66.0	65.5	105	1173	563	432	-25	571	-	413.0	-	151-170
	M	440	66.0	65.5	110	1197	586	432	-25	571	-	435.0	-	168-180
	L	465	66.0	65.5	115	1222	619	432	-25	571	-	460.0	-	178-190
META HT AM Cr-Mo 650B (Matt Green color)	S	400	74	65	105	1147	579	428	-45	544 (+14 EC44)	725	-	-	151-170
	M	440	74	65	115	1171	602	428	-45	544 (+14 EC44)	735	-	-	168-180
	L	480	74	65	120	1198	628	428	-45	544 (+14 EC44)	747	-	-	178-190
META HT AM Cr-Mo 650B (Shiny Black color)	S	400	73	65	95	1109	565	420	-45	555 (+14 EC44)	725	-	-	151-170
	M	440	73	65	100	1130	585	420	-45	555 (+14 EC44)	735	-	-	168-180
	L	480	73	65	105	1155	610	420	-45	555 (+14 EC44)	747	-	-	178-190
META HT AM AL Limited 650B	S	400	73	65.5	105	1104	560	428	-45	544	725	-	-	151-170
	M	440	73	65.5	110	1125	580	428	-45	544	735	-	-	168-180
	L	490	73	65.5	115	1151	605	428	-45	544	747	-	-	178-190
Meta HT AM AL 29"/27.5"+	S	400	74.0	65.0	115	1152	581	428	-40	555	725	400.0	630.0	151-170
	M	440	74.0	65.0	120	1174	602	428	-40	555	735	420.0	634.0	168-180
	L	490	74.0	65.0	125	1201	628	428	-40	555	747	445.0	639.0	178-190
Meta TRAIL 29"	S	400	66.0	66.5	105	1174	582	434	38	541	-	435.0	-	151-170
	M	440	66.0	66.5	110	1196	604	434	38	541	-	455.0	-	168-180
	L	465	66.0	66.5	115	1218	625	434	38	541	-	475.0	-	178-190
ABSOLUT 26"	Sort	345	73.0	69.0	120	1037	580	390	-25	470	715	396.0	578.5	160-180
	Large	345	73.0	69.0	120	1074	605	390	-25	470	720	431.0	578.5	175-195
EL CAMINO 29"	S	400	74.0	67.5	105	1139	593	435	-50	530	755	-	-	153-168
	M	440	74.0	67.5	110	1161	615	435	-50	530	775	-	-	168-178
	L	490	74.0	67.5	115	1186	640	435	-50	530	795	-	-	178-188
EL CAMINO 650B	S	400	73.0	68.0	110	1060	565	435	-50	485	725	-	-	153-168
Meta HT Kids	20"+	260	73.0	67.5	105	885	445	350	-5	385	485	306.5	453.0	115-135
	24"+	300	73.0	67.0	105	1002	492	410	-25	452	530	335.0	513.0	128-145
	Jr (27.5"+)	350	73.0	68.5	100	1050	545	435	-50	485	560	366.0	584.0	138-160
RAMONES KIDS	12"	150	71.0	70.0	70	571	319	240	45	209	260	215.0	303.0	-100
	14"	195	73.0	70.0	90	636	344	240	0	240	275	247.0	316.0	95-110
	16"+	195	72.0	70.0	100	710	385	285	0	271	400	273.0	345.0	105-120
	20"+	260	73.0	69.0	105	892	445	375	-10	350	485	315.0	425.0	115-135
	24"+	300	73.0	69.0	105	961	492	410	-30	400	530	347.0	473.0	128-145



- ① SEAT TUBE LENGTH
- ② SEAT TUBE ANGLE
- ③ HEAD TUBE ANGLE
- ④ HEAD TUBE LENGTH
- ⑤ WHEEL BASE
- ⑥ TOP TUBE LENGTH
- ⑦ CHAIN STAY LENGTH
- ⑧ BOTTOM BRACKET HEIGHT
- ⑨ FORK LENGTH

Specification

	Supreme DH 29" Signature	Supreme DH 29" Team
Frame	2019 SUPREME 29 200mm travel	2019 SUPREME 29 200mm travel
Shock	FOX FACTORY DHX2, 250x75, Adjustments High / Low Speed Compression, High / Low Speed Rebound, 400 lbs on S, 450 lbs on M, 500 lbs on L, 550 lbs ON XL	ROCKSHOX SUPER DELUXE COIL WC, 250x75, Compression, Rebound, 350lbs ON S, 400lbs ON M, 450lbs ON L, 500lbs ON XL
Fork	FOX 49 FACTORY FIT GRIP 2, Adjustments High / Low Speed Compression, Rebound, Boost 110x20	ROCKSHOX BOXXER WC, Adjustments High / Low Speed Compression, Rebound, Air, Boost 110x20
Headset	ACROS, semi integrated, Commencal standard	ACROS, semi integrated, Commencal standard
Stem	RIDE ALPHA DH Direct Mount, 40mm, 31.8mm	SPANK SPIKE RACE, 50mm, 31.8mm
Bar	RIDE ALPHA, Alloy 7075, double butted, 20mm rise, 780mm, Ø31.8mm	SPANK 800MM VIBROCORE, 30mm rise, 800mm, 31.8mm, Black
Grips	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SRAM CODE R 200mm/200mm	SRAM CODE R 200mm/200mm
Shifter	SRAM GX DH, 7sp	SRAM GX DH, 7sp
Chain guide	E13 LG1+ WideGuide	E13 LG1+ WideGuide
Rear derailleur	SRAM GX DH, 7sp	SRAM GX DH, 7sp
Bottom Bracket	E13 Press fit BB 92	E13 Press fit BB 92
Cranks	E13 LG1, 34t, 165mm, 24mm axle	E13 LG1, 34t, 165mm, 24mm axle
Chain	KMC X11-EL BBP, extra light weight, full black	KMC X11-EL BBP, extra light weight, full black
Cassette	E13, 7sp 9-21	SRAM GX DH, 7sp 11-25
Rims		
Hubs	E13 LG1 + WHEELSET, 32 holes, 30mm inner width, tubeless ready, with integrated cassette	SPANK SPIKE 350 WHEELSET, 32 holes, 30mm inner width, tubeless ready, with Vibrocore Technology
Spokes		
Tires	SCHWALBE MAGIC MARY 29x2.35 ADDIX, Super Soft, DH Casing, front & rear	SCHWALBE MAGIC MARY 29x2.35 ADDIX, Super Soft, DH Casing, front & rear
Seatposts	NEW RIDE ALPHA DH, 31.6mm, no offset, ultra light, 300mm	RIDE ALPHA DH, 31.6mm, no offset, ultra light, 300mm
Saddle	WTB HIGH TAIL PRO, black	WTB HIGH TAIL PRO, black
Accessories	Shock mudguard, down tube protector, sealstay protector, integrated bumpers	Shock mudguard, down tube protector, sealstay protector, integrated bumpers, 2 Tubeless Valves
Weight	17.3kg	17.5kg

	Supreme SX	Clash Signature
Frame	SUPREME SX 650b Travel 180mm	2019 CLASH, 650b, 165mm travel
Shock	ROCKSHOX SUPER DELUXE RC3, 230x65, 3 positions	FOX DHX2 PERFORMANCE ELITE, 230x65mm, 2 positions, compression, rebound, 400lbs on S, 450lbs on M, 500lbs on L, 550lbs on XL
Fork	ROCKSHOX LYRIK RCT3 180mm, solo air, boost	FOX 36 FACTORY FIT GRIP2, 180 mm, 15 mm axle, high/low speed compression, high / low speed, rebound, boost
Headset	RIDE ALPHA, semi integrated, Commencal standard	ACROS Alloy ZS44/ZS56, sealed bearings
Stem	RIDE ALPHA, Alloy 6061 Forged, 50mm, 0° Angle, Ø31.8mm	RIDE ALPHA FREERIDE, 40mm, 31.8mm, 0° angle
Bar	RIDE ALPHA, Alloy 7075, double butted, 30mm rise, 780mm, Ø31.8mm	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 30 mm rise
Grips	COMMENCAL Lock on, Ø32mm, soft compound	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SRAM GUIDE RE, 200mm/180mm	SHIMANO XT, 4 pistons, 200mm/200mm
Shifter	SRAM GX 1x11sp	SRAM GX EAGLE, 1x12sp
Chain guide	/	/
Rear derailleur	SRAM GX 11sp	SRAM GX EAGLE, 1x12sp
Bottom Bracket	SRAM GXP Press Fit BB92	SRAM DUB, Press Fit BB 92
Cranks	SRAM DESCENDANT, 32t, direct mount, boost, 170mm	SRAM DESCENDANT EAGLE 7K, 34t, 170mm on S/M, 175mm on L/XL
Chain	KMC x11 EL-1	SRAM NX EAGLE, 12sp
Cassette	SRAM XG 1150, 11-42, 11sp	SRAM PG-1275, 11-50, 12sp
Rims	MAVIC 427, 32 holes, hookless, tubeless ready, 27mm inner	
Hubs	FORMULA, 32 holes, Sealed bearings	E13 TRS wheelset, 28 holes, tubeless ready, 30mm inner width
Spokes	PILLAR Spokes, Stainless steel, 2mm black, Nylock	
Tires	MAXXIS HRII 650x2.4 EXO TR front and MAXXIS DHRII 650x2.3 EXO TR rear	SCHWALBE MAGIC MARY, 27.5x2.35, TLE Apex, Addix soft, front SCHWALBE NEW HANS DAMPF, 27.5x2.35, TLE Apex, Addix soft, rear
Seatposts	ROCKSHOX REVERB STEALTH, 31.6mm, 125mm on S/M and 150mm on L/XL	KINDSHOCK LEV INTEGRA, 31.6 mm, Southpaw alloy lever, 100mm on S, 125mm on M, 150mm on L, 175mm on XL
Saddle	RIDE ALPHA SuperLight foam, CrMo rails	WTB SLB RACE, 142mm width, chromo rails
Accessories	Shock mudguard, down tube protector, sealstay protector	Chainsstay protector, sealstay protector, down tube protector
Weight	15.0kg	15kg

	Clash Race	Clash Origin
Frame	2019 CLASH, 650b, 165mm travel	2019 CLASH, 650b, 165mm travel
Shock	ROCKSHOX SUPER DELUXE RCT Coil 230x65mm, 2 positions, compression, rebound, 350lbs ON S, 400lbs ON M, 450lbs ON L, 500lbs ON XL	ROCKSHOX DELUXE RT, 230x65mm, 2 positions
Fork	ROCKSHOX LYRIK RC, 180mm, 15mm axle, compression, rebound, boost	ROCKSHOX YARI RC, 180mm, 15mm axle, boost
Headset	ACROS Alloy ZS44/ZS56, sealed bearings	ACROS Fiber ZS44/ZS56, sealed bearings
Stem	RIDE ALPHA FREERIDE, 40mm, 31.8mm, 0° angle	RIDE ALPHA FREERIDE, 40mm, 31.8mm, 0° angle
Bar	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 30 mm rise	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 30 mm rise
Grips	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SHIMANO SLX, 200mm/200mm	SRAM GUIDE T, 200mm/200mm
Shifter	SRAM NX EAGLE, 1x12sp	SRAM NX, 1x11sp
Chain guide	/	/
Rear derailleur	SRAM NX EAGLE, 1x12sp	SRAM NX, 1x11sp
Bottom Bracket	SRAM DUB, Press Fit BB 92	SRAM DUB, Press Fit BB 92
Cranks	SRAM DESCENDANT EAGLE 7K, 34t, 170mm on S/M, 175mm on L/XL	SRAM DESCENDANT 6K, 32t, 170mm on S/M, 175mm on L/XL
Chain	SRAM NX EAGLE, 12sp	SRAM NX, 11sp
Cassette	SRAM PG-1230, 11-50, 12sp	SRAM PG-1130, 11-42, 11sp
Rims	SPANK Oozy 350, 32 holes, tubeless ready, 30mm inner width	WTB ST I29, 32 holes, tubeless ready, 29mm inner width
Hubs	FORMULA, high engagement, 32 holes, sealed bearings	FORMULA, 32 holes, sealed bearings
Spokes	SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm	SAPIM LEADER spokes, stainless steel, 2.0mm
Tires	SCHWALBE MAGIC MARY, 27.5x2.35, TLE Apex, Addix soft, front SCHWALBE NEW HANS DAMPF, 27.5x2.35, TLE Apex, Addix soft, rear	MAXXIS DHF, 27.5x2.5 WT, EXO, front MAXXIS AGGRESSOR, 27.5x2.5WT, EXO, rear
Seatposts	KINDSHOCK LEV INTEGRA, 31.6 mm, Southpaw alloy lever, 100mm on S, 125mm on M, 150mm on L, 175mm on XL	RIDE ALPHA, 31.6mm, no offset, 350mm
Saddle	WTB SLB RACE, 142mm width, chromo rails	RIDE ALPHA SuperLight foam, CrMo rails
Accessories	Chainsstay protector, sealstay protector, down tube protector	Down tube protector, chainsstay protector, sealstay protector, chainsstay cable guide
Weight	15kg	15.1kg

	Meta AM 29" Signature	Meta AM 29" Race Sram
Frame	2019 META AM 29 160 mm travel	2019 META AM 29 160 mm travel
Shock	FOX DHX2 FACTORY, 230 x 60 mm, 2 positions, High / Low speed compression & rebound, 400 ts on S, 450 lbs on M, 500 lbs on L, 550lbs on XL	ROCKSHOX DELUXE RTC/Coil, 230x60mm, position rebound, compression
Fork	FOX 36 FACTORY FIT GRIP2, 170 mm, 15 mm axle, high/low speed compression, high / low speed, rebound, boost. Bottomless Tokens:	ROCKSHOX LYRIK RC, 170mm, 15mm axle, High/Low speed compression, rebound boost
Headset	ACROS Alloy ZS44 / ZS56, sealed bearings	ACROS Alloy ZS44 / ZS56, sealed bearings
Stem	RIDE ALPHA, Aluminium 2014, 40mm, 31.8mm, 0° Angle	RIDE ALPHA, Aluminium 2014, 40mm, 31.8mm, 0° Angle
Bar	RIDE ALPHA, Alloy 7075, double butted, 30 mm rise, 780 mm, 31.8 mm	RIDE ALPHA, Alloy 7075, double butted, 30 mm rise, 780 mm, 31.8 mm
Grips	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SHIMANO XT, 4 pistons front, 2 pistons rear, 200 mm / 200 mm	SRAM CODE R, 200mm/200mm
Shifter	SRAM GX EAGLE 1 x 12sp	SRAM GX EAGLE 1 x 12sp
Chain guide	/	/
Rear derailleur	SRAM GX EAGLE 1 x 12sp	SRAM GX EAGLE 1 x 12sp
Bottom Bracket	SRAM DUB, Press Fit BB 92	SRAM DXP, Press Fit BB 92
Cranks	SRAM DESCENDANT EAGLE 7K X-Sync, 32 t, boost 170 mm on S / M, 175 mm on L / XL	SRAM DESCENDANT EAGLE 7K X-Sync, 32 t, boost 170 mm on S / M, 175 mm on L / XL
Chain	SRAM GX EAGLE, 12 sp	SRAM GX EAGLE, 12 sp
Cassette	SRAM GX EAGLE, 10-50, 12 sp	SRAM GX EAGLE, 1230, 11-50, 12 sp
Rims		SPANK Oozy 350, 32 holes, tubeless ready, 30mm inner width
Hubs	E13 TRS WHEELSET, 28 holes, tubeless ready, 30 mm inner width	FORMULA, high engagement, 32 holes, sealed bearings
Spokes		SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm
Tires	SCHWALBE MAGIC MARY, 29 x 2.35, Addix Soft, front SCHWALBE NEW HANS DAMPF, 29 x 2.35, Addix Soft, rear	SCHWALBE MAGIC MARY, 29 x 2.35, Addix Soft, front SCHWALBE NEW HANS DAMPF, 29 x 2.35, Addix Soft, rear
Seatposts	KINDSHOCK LEV INTEGRA, 31.6 mm, Southpaw alloy lever, 100 mm on S, 125 mm on M, 150 mm on L, 175 mm on XL	KINDSHOCK LEV INTEGRA, 31.6 mm, Southpaw alloy lever, 100 mm on S, 125 mm on M, 150 mm on L, 175 mm on XL
Saddle	WTB SLB RACE, 142 mm width, chromo rails	FABRIC SCOOP FLAT ELITE 142mm width
Accessories	Down tube protector, chainsstay protector, seals - tay protector	Down tube protector, chainsstay protector, seals - tay protector
Weight	15.3kg	N.A.

Specification

	Meta AM 29 Ride	Meta HT AM 29 ⁺ Race	Meta HT AM 27.5+ Essential
Frame	2019 META AM 29 160mm travel	2019 META HT AM, internal cable routing, 27.5"/29" compatible	2019 META HT AM, internal cable routing, 27.5"/29" compatible
Shock	ROCKSHOX DELUXE RT, 230x60mm, rebound, lockout	/	/
Fork	ROCKSHOX LYRIK RC, 170mm, 15mm axle, compression, rebound, boost	ROCKSHOX LYRIK RC, 150mm, 15mm axle, compression, rebound, boost	ROCKSHOX YARI RC, 160mm, 15mm axle, rebound, boost
Headset	ACROS Fiber Z544/Z556, sealed bearings	ACROS Fiber Z544/Z556, sealed bearings	ACROS Fiber Z544/Z556, sealed bearings
Stem	RIDE ALPHA, Aluminium 2014, 40mm, 31.8mm, 0° Angle	RIDE ALPHA FREERIDE, 40mm, 31.8mm, 0° angle	RIDE ALPHA FREERIDE, 40mm, 31.8mm, 0° angle
Bar	RIDE ALPHA, Alloy 7075, double butted, 20mm rise, 780mm, 31.8mm	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 30 mm rise	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 30 mm rise
Grips	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SRAM GUIDE T, 200mm/200mm	SRAM Guide T, 200mm/180mm	SRAM LEVEL, 200mm/180mm
Shifter	SRAM NX, 1x11sp	SRAM NX EAGLE, 1x12sp	SRAM NX, 1x11sp
Chain guide	/	/	/
Rear derailleur	SRAM NX, 1x11sp	SRAM NX EAGLE, 1x12sp	SRAM NX, 1x11sp
Bottom Bracket	SRAM DUB Pressfit	SRAM Power Spline	SRAM Power Spline
Cranks	SRAM NX X-Sync, 30t, boost 170mm on S/M, 175mm on L/XL	SRAM NX EAGLE, 32t, 170mm on S/M, 175mm on L/XL	SRAM NX, 32t, 170mm on S/M, 175mm on L/XL
Chain	SRAM NX	SRAM NX EAGLE	SRAM PC-1110
Cassette	SRAM PG-1130, 11-42, 11sp	SRAM PG-1230, 11-50, 12sp	SRAM PG-1130, 11-42, 11sp
Rims	E13 TRS, 32 holes, 30mm inner width, tubeless ready	E13 TRS, 32 holes, 30mm inner width, tubeless ready	E13 TRS, 32 holes, 35mm inner width, tubeless ready
Hubs	FORMULA, high engagement, 32 holes, sealed bearings	FORMULA, 32 holes, high engagement, sealed bearings	FORMULA, 32 holes, sealed bearings
Spokes	SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm	SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm	SAPIM LEADER spokes, stainless steel, 2.0mm
Tires	MAXXIS DHF, 29x2.5 WT, EXO, front MAXXIS AGGRESSOR, 29x2.5WT, EXO, rear	MAXXIS DHF, 29x2.5 WT, EXO, front MAXXIS AGGRESSOR, 29x2.5WT, EXO, rear	VEE RUBBER FLOW SNAP, 27.5 x 2.6, Skinwall, 72 TPI front and rear
Seatposts	KINDSHOCK Lev Si, 31.6 mm, Southpaw alloy lever	KINDSHOCK E20i, 31.6 mm, Southpaw alloy lever	RIDE ALPHA, 31.6 mm, no offset, 400 mm
Saddle	RIDE ALPHA 278 mm, CrMo rails	RIDE ALPHA 278 mm, CrMo rails	RIDE ALPHA 278 mm, CrMo rails
Accessories	Down tube protector, chainstay protector, seatstay protector	Chainstay protector, seatstay protector	Chainstay protector, seatstay protector
Weight	N.A.	13.8kg	13.7kg

	Meta HT AM 27.5+ Origin / Origin JAPAN Design	Meta HT AM 650B LIMITED	Absolut 26"
Frame	2019 META HT AM, internal cable routing, 27.5"/29" compatible	META HT AM FRAME 650B, AL 6061 triple butted	2019 ABSOLUT AL V3 Frame, stealth cable routing
Shock	/	/	/
Fork	ROCKSHOX RECON RL, 150mm, 15mm axle, boost	ROCKSHOX SECTOR SILVER RL SOLO AIR, 140mm, 15mm stealth axle, tapered	MANITOU Circus, 100mm, 20mm axle, tapered
Headset	ACROS Fiber Z544/Z556, sealed bearings	RIDE ALPHA Z544/Z556	RIDE ALPHA Z544/Z556
Stem	COMMENCAL, 40mm, 31.8mm, 0° angle	RIDE ALPHA, Alloy 2014 Forged, 50mm, 0° Angle, Ø31.8mm	RIDE ALPHA, 50mm, 31.8mm, 0° Angle
Bar	COMMENCAL, 760mm, 31.8mm, 25mm rise	RIDE ALPHA, Alloy 6061, double butted, 30mm rise, 760mm, Ø31.8mm	RIDE ALPHA, 6061 Alloy series, 760mm, 30mm rise
Grips	RIDE ALPHA, Ergonomic grips, plastic one lock, super soft compound	COMMENCAL Lock on, Ø32mm, soft compound	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	TEKTRO HD-M275, 200mm/180mm	TEKTRO HD-M 285, Hydraulic disc brake 200mm/180mm, with reach adjustment	TEKTRO HD-M 285, Hydraulic disc brake 160mm, with reach adjustment
Shifters	SRAM X5, 1x10sp	SRAM X5, 2x9sp	/
ChainGUIDE	/	/	/
Front/Rear mech	SRAM X5, 1x10sp	SRAM X5, High direct mount 2sp / SRAM X5, 9sp, Medium cage	/
Bottom Bracket	SRAM Power Spline	SRAM Powerspline	BSA STANDARD, threaded
Cranks	SRAM NX, 30t, 170mm on S/M, 175mm on L/XL	TRUVATIV BLAZE, 2x9, 22/3t, 170mm on S/M 175mm on L/XL	COMMENCAL, 2pc design, Cr-Mo, 28t, 170mm
Chain	YABAN S10	YABAN S9	YABAN, single speed
Cassette	SRAM PG-1020, 11-36, 10sp	SRAM PG 920, 11-34, 9sp	12t sprocket
Rims	WTB ST i35, 32holes, 35mm inner width	WTB ST i25, 32 holes, double wall, tubeless ready, 25mm inner	ALEXRIMS FR 30, 32 holes
Hubs	FORMULA, 32 holes, sealed bearings	FORMULA, 32 holes, sealed bearings; rear: 135x10mm QR	FORMULA, 32 holes front / NOVATEC, 32 holes rear
Spokes	SAPIM LEADER spokes, stainless steel, 2.0mm	PILLAR Spokes, Steel, 2mm Black, Nylon	SAPIM LEADER spokes, stainless steel, 2.0mm
Tires	VEE RUBBER FLOW SNAP, 27.5 x 2.6, Skinwall, 72 TPI front and rear	MAXXIS Ardent 650x2.6 EXO	MAXXIS DTH, 26 x 2.3, 60 tpi, skinwall
Seatposts	RIDE ALPHA, 31.6 mm, no offset, 400 mm	RIDE ALPHA, 31.6mm, no offset, 400mm	RIDE ALPHA DJ, alloy 31.6mm, 300mm
Saddle	RIDE ALPHA 278 mm, CrMo rails	RIDE ALPHA SuperLight foam, CrMo rails	COMMENCAL DJ by Velo, soft padding
Accessories	Chainstay protector, seatstay protector	Chainstay protector	/
Weight	13.5kg	13.9kg (Frame 1.9kg)	11.3kg (Frame 1.9kg)

	Meta Trail 29" British Edition	Meta Trail 29" Essential
Frame	2019 META Trail 29 130mm travel	2019 META Trail 29 130mm travel
Shock	FOX FACTORY DPX2, 210x55, lockout, rebound, compression	FOX PERFORMANCE DPS 210 x 55 mm, 3 positions lever, rebound
Fork	FOX 36 FACTORY FIT GRIP2, 150 mm, 15 mm axle, high/low speed compression, high/low speed, rebound, boost	FOX PERFORMANCE 36 FLOAT, 150 mm, solo air, boost / 1 volume spacer, FIT4 cartridge
Headset	ACROS Alloy Z544/Z556, sealed bearings	ACROS Fiber Z544/Z556, sealed bearings
Stem	RENTHAL APEX, 50mm, 35mm diameter	RIDE ALPHA FREERIDE, 50mm, 31.8mm, 0° angle
Bar	RENTHAL FATBAR, 20mm rise, 800mm, 35mm diameter, Aluminium	RIDE ALPHA, Alloy 7075, 780 mm, 31.8 mm, 20 mm rise
Grips	RENTHAL TRACTION Grips, Kevlar compound	RIDE ALPHA, DH Grips, ultra soft compound, single clamp
Brakes	SHIMANO XT, 200mm/180mm	SHIMANO SLX, 200mm/180mm
Shifter	SRAM GX EAGLE 1x12sp	SRAM GX EAGLE, 1x12sp
Chain guide	/	/
Rear derailleur	SRAM GX EAGLE 1x12sp	SRAM GX EAGLE, 1x12sp
Bottom Bracket	SRAM DUB, Press Fit BB 92	SRAM DUB Pressfit
Cranks	SRAM DESCENDANT EAGLE 7K X-Sync, 32t, boost 170mm on S/M, 175mm on L/XL	SRAM GX EAGLE 6K, 32t, 170mm on S/M, 175mm on L/XL
Chain	SRAM GX EAGLE 1x12sp	SRAM GX EAGLE
Cassette	SRAM GX EAGLE 1230, 11-50, 12sp	SRAM XG 1275, 11-50, 12sp
Rims	E13 TRS WHEELSET, 28 holes, tubeless ready, 30 mm inner width	E13 TRS, 32 holes, 30mm inner width, tubeless ready
Hubs	/	FORMULA, high engagement, 32 holes, sealed bearings
Spokes	/	SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm
Tires	SCHWALBE MAGIC MARY, 29x2.35, TLE, Addix soft, front SCHWALBE NEW HANS DAMPF 29x2.35, TLE, Addix speedgrip, rear	SCHWALBE NEW HANS DAMPF, 29x2.35, TLE Addix Compound, front SCHWALBE NEW HANS DAMPF, 29x2.35, TLE Addix Compound, rear
Seatposts	KINDSHOCK LEV INTEGRA, 31.6 mm, Southpaw alloy lever, 100mm on S, 125mm on M, 150mm on L, 175mm on XL	KINDSHOCK LEV SI, 31.6 mm, Southpaw alloy lever
Saddle	FABRIC SCOOP FLAT ELITE, 142mm width, vaccum, crom, rails, black	WTB SL8 RACE, 142mm width, crom, rails
Accessories	Down tube protector, chainstay protector, seatstay protector	Chainstay protector, seatstay protector, downtube protector
Weight	14.8kg	N.A.

	Meta Trail 29" Ride	EL CAMINO 29er	EL CAMINO GL 29er
Frame	2019 META Trail V4.2 130mm travel	EL CAMINO 29, alloy 6061	EL CAMINO 29, alloy 6061
Shock	ROCKSHOX DELUXE RT, 210x55, 2 positions	/	/
Fork	ROCKSHOX REVELATION RC 140mm, solo air, boost	RST BLAZE T, 29", 120mm, 1"1/8 steerer	RST BLAZE T, 29", 120mm, 1"1/8 steerer
Headset	ACROS Fiber Z544/Z556, sealed bearings	SEMI-INTEGRATED Z544/Z544	SEMI-INTEGRATED Z544/Z544
Stem	RIDE ALPHA, Aluminium 2014, 50mm, 31.8mm, 0° Angle	EL CAMINO, Alloy Forged, 50mm, 31.8mm	EL CAMINO, Alloy Forged, 50mm, 31.8mm
Bar	RIDE ALPHA, Alloy 7075, double butted, 20mm rise, 780mm, 31.8mm	COMMENCAL, 740mm, 25mm rise	COMMENCAL, 740mm, 25mm rise
Grips	RIDE ALPHA, DH Grips, ultra soft compound, single clamp	COMMENCAL Lock on, Ø32mm, soft compound	COMMENCAL Lock on, Ø32mm, soft compound
Brakes	SRAM LEVEL T, 200mm/180mm	TEKTRO HD-M 285, Hydraulic disc brake 180mm/160mm, with reach adjustment	TEKTRO HD-M 285, Hydraulic disc brake 180mm/160mm, with reach adjustment
Shifter	SRAM NX EAGLE 1x12sp	SRAM X4, 3x8sp	SRAM X4, 3x8sp
Chain guide	/	/	/
Rear derailleur	SRAM NX EAGLE 1x12sp	SRAM X5, 3sp / SRAM X3, 8sp	SRAM X5, 3sp / SRAM X3, 8sp
Bottom Bracket	SRAM DUB, Press Fit BB 92	SRAM Powerspline	SRAM Powerspline
Cranks	SRAM DESCENDANT EAGLE 6K X-Sync, 32t, boost 170mm on S/M, 175mm on L/XL	SRAM S200 22/32/42 170mm on XS/S/M and 175mm on L/XL	SRAM S200 22/32/42 170mm on XS/S/M and 175mm on L/XL
Chain	SRAM NX EAGLE 1x12sp	YABAN S8	YABAN S8
Cassette	SRAM NX EAGLE 1230, 11-50, 12sp	SRAM PG 820, 11-32, 8sp	SRAM PG 820, 11-32, 8sp
Rims	E13 TRS, 32 holes, 30mm inner width, tubeless ready	ALEXRIMS TD 19, double wall, 32 holes, 19mm inner	ALEXRIMS TD 19, double wall, 32 holes, 19mm inner
Hubs	FORMULA, high engagement, 32 holes, Sealed bearings	FORMULA, 32 holes	FORMULA, 32 holes
Spokes	SAPIM RACE spokes, stainless steel, 2.0mm / 1.8mm / 2.0mm	PILLAR spokes steel 1.8mm black - brass 12mm black	PILLAR spokes steel 1.8mm black - brass 12mm black
Tires	SCHWALBE NEW HANS DAMPF 29x2.35, TLE, Addix soft, front SCHWALBE ROCK RAZOR, 29x2.35, TLE, Addix speed grip, rear	KENDA SLANT 6, 29x2.35	KENDA SLANT 6, 29x2.35
Seatposts	KINDSHOCK Lev Si, 31.6 mm, Southpaw alloy lever, 100mm on S, 125mm on M, 150mm on L and XL	RIDE ALPHA, 31.6mm, no offset, 400mm	RIDE ALPHA, 31.6mm, no offset, 400mm
Saddle	RIDE ALPHA SuperLight foam, CrMo rails	COMMENCAL, El Camino, Steel Black Rails, Soft Padding	COMMENCAL, El Camino Girly specific, Steel Black Rails, Soft Padding
Accessories	Down tube protector, chainstay protector, seatstay protector	Pedals, chainstay protector	Pedals, chainstay protector
Weight	15kg	14.1kg	14.1kg

Specification

	EL CAMINO 650B	Meta HT JR	Meta HT 24+
Frame	aluminium formed 6061T6 Rear Camer Bolt Base(ML/LXL)without Rear Camer Bolt Base(S)	2018 NEW META HT JR 650b; stealth cable routing	2018 META HT 24, stealth cable routing
Shock	/	/	/
Fork	RST BLAZE T, 650b, 100mm on S and 120mm ML/LXL, 1"1/8 steerer	ROCKSHOX RECON RL, 140mm, 15mm sleath axle, tapered, rebound, lock out	RIDE ALPHA PRODIGY Enduro 24", 120mm, air spring, 15mm thru axle
Headset	SEMI-INTEGRATED Z544/Z544	RIDE ALPHA Z544/Z556	RIDE ALPHA Z544
Stem	EL CAMINO, Alloy Forged, 60mm, 31,8mm	NEW RIDE ALPHA, Aluminium 6061, 40mm, 31,8mm, 0° Angle	NEW RIDE ALPHA, Aluminium 6061, 40mm, 31,8mm, 0° Angle
Bar	ALLOY 6061 BAR, 700mm on XS/S and 720mm ML/LXL, 25mm rise	RIDE ALPHA Kids, alloy 6061, 20mm rise, 700mm, 31,8mm	RIDE ALPHA Kids, alloy 6061, 20mm rise, 640mm, 31,8mm
Grips	COMMENCAL, Soft Compound	COMMENCAL, Soft compound	COMMENCAL, Soft compound
Brakes	TEKTRO HD-M 285, Hydraulic disc brake 180mm/160mm, with reach adjustment	TEKTRO HD-M275, hydraulic disc brake 180mm/180mm, kids specific reach adjustment	TEKTRO HD-M M282, kids specific hydraulic disc brake 160mm/160mm
Shifter	SRAM X4, 3x8sp	SRAM NX 1x11sp	SRAM X5 9s
Chain guide	/	/	/
Rear derailleur	SRAM X4, 3sp / SRAM X3, 8sp	SRAM NX 11sp	SRAM X7 9s Mid Cage
Bottom Bracket	SRAM Powerspline	SRAM GXP XR	SRAM BB Powerspline
Cranks	SRAM S200 22/32/42 170mm on XS/S/M and 175mm on LXL	SRAM NX X-Sync, 30t, 155mm	SRAM NX X-Sync, 30t, 155mm
Chain	YABAN S8	SRAM PC 1110	YABAN S9
Cassette	SRAM PG 820, 11-32, 8sp	SRAM PG 1130, 11-42, 11sp	SRAM PG 920 11-34, 9sp
Rims	ALEXRIMS TD 19, double wall, 32 holes, 19mm inner	WTB STP i25, 32 holes, 25mm inner width	ALEXRIMS MD30, 32 holes, 30mm inner width
Hubs	FORMULA, 32 holes	FORMULA, 32 holes	FORMULA KIDS, 32 holes
Spokes	PILLAR spokes steel 1.8mm black - brass 12mm black	SAPIM LEADER spokes, stainless steel, 1.8mm	SAPIM LEADER spokes, stainless steel, 1.8mm
Tires	MAXXIS Ardent 650x25	VEE RUBBER FLOW SNAP 27.5 x 2.35, Skinnwall, 72 TPI front and rear	VEE RUBBER CROWN GEM, Skinnwall 24x2.6, front & rear
Seatposts	RIDE ALPHA, 31.6mm, no offset, 350mm	KS E-20i-S, 31.6mm, 100mm travel, southpaw plastic lever	RIDE ALPHA Kids, alloy, 31.6mm, 300mm
Saddle	COMMENCAL, El Camino, Steel Black Rails, Soft Padding	RIDE ALPHA KIDS, Cr-Mo rails	COMMENCAL Kids
Accessories	Pedals, chainstay protector	PEDALS	PEDALS
Weight	13.7kg	13.5kg	11.6kg

	Meta HT 20+	Ramones 24+	Ramones 20+
Frame	2018 META HT 20, stealth cable routing	2019 Ramones 24, alloy 6061	2019 Ramones 20, alloy 6061
Shock	/	/	/
Fork	RIDE ALPHA PRODIGY Enduro 20", 100mm, air spring, 15mm thru axle	2019 Ramones 24 rigid fork, alloy 6061, postmount disc brake mount	2019 Ramones 20 rigid fork, alloy 6061, postmount disc brake mount
Headset	RIDE ALPHA Z544	1-1/8" loose ball	1-1/8" loose ball
Stem	NEW RIDE ALPHA, Aluminium 6061, 40mm, 31,8mm, 0° Angle	COMMENCAL alloy 0", 30mm length, 25.4mm diameter	COMMENCAL alloy 0", 30mm length, 25.4mm diameter
Bar	RIDE ALPHA Kids, alloy 6061, 20mm rise, 600mm, 31,8mm	COMMENCAL alloy 6061, 620mm width, 25.4mm diameter, 1" rise	COMMENCAL alloy 6061, 560mm width, 25.4mm diameter, 1" rise
Grips	COMMENCAL, Soft compound	COMMENCAL Kids, 130mm	COMMENCAL Kids, 110mm
Brakes	TEKTRO HD-M M282, kids specific hydraulic disc brake 160mm/160mm	Mechanical disc brakes with kids specific Tektro levers and Jagwire cables	Mechanical disc brakes with kids specific Tektro levers and Jagwire cables
Shifter	SRAM X5 9s	SRAM MRX Comp 7sp	SRAM MRX Comp 7sp
Chain guide	/	/	/
Rear derailleur	SRAM X5 9s Mid Cage	SHIMANO Tourney 7sp	SHIMANO Tourney 7sp
Bottom Bracket	NECO BB 68mm, cartridge bearing	BSA 68mm, ball retainer	BSA 68mm, ball retainer
Cranks	RIDE ALPHA Kids Alloy forged, 145mm, 32t Narrow Wide Alloy chainring	Kids 152mm steel, 32t chainring with double chainguard	Kids 145mm steel, 32t chainring with double chainguard
Chain	YABAN S9	KMC 1/2"x3/32 7sp	KMC 1/2"x3/32 7sp
Cassette	SRAM PG 920 11-34, 9sp	SHIMANO Tourney 7sp 14-34	SHIMANO Tourney 7sp 14-34
Rims	ALEXRIMS MD30, 32 holes, 30mm inner width	COMMENCAL 20" alloy 6061, 36h, 30mm inner width	COMMENCAL 20" alloy 6061, 36h, 30mm inner width
Hubs	FORMULA KIDS, 32 holes	36 holes, QR front & rear	36 holes, QR front & rear
Spokes	SAPIM LEADER spokes, stainless steel, 1.8mm	2mm steel black - black nipples	2mm steel black - black nipples
Tires	VEE RUBBER CROWN GEM, Skinnwall 20x2.6, front & rear	New VEETIRECO Crown Gem 24x2.6", skinnwalls	New VEETIRECO Crown Gem 20x2.6", skinnwalls
Seatposts	RIDE ALPHA Kids, alloy, 31.6mm, 300mm	COMMENCAL, Alloy black, 27.2mm	COMMENCAL, Alloy black, 27.2mm
Saddle	COMMENCAL Kids	New Kids saddle, black	New Kids saddle, black
Accessories	PEDALS	Bell, lights, Pedals	Bell, lights, Pedals
Weight	10.7kg	10.5kg	10.1kg

	Ramones 16+	Ramones 14	Ramones 12
Frame	2019 Ramones 16, alloy 6061	2019 Ramones 14, alloy 6061	2019 Ramones 12, alloy 6061, disc brake ready, extended foot platform
Shock	/	/	/
Fork	2019 Ramones 16, CrMo straight rigid fork	2019 Ramones 14, CrMo straight rigid fork	2019 Ramones 12, CrMo straight rigid fork
Headset	1-1/8" loose ball	1-1/8" loose ball	1-1/8" loose ball
Stem	COMMENCAL alloy 0", 30mm length, 25.4mm diameter	COMMENCAL alloy 0", 30mm length, 25.4mm diameter	COMMENCAL alloy 0", 30mm length, 25.4mm diameter
Bar	New RIDE ALPHA PRODIGY BAR, 500mm width, 25.4mm diameter, 1" rise, 19mm diameter on the grip area (kids hands specific)	New RIDE ALPHA PRODIGY BAR, 480mm width, 25.4mm diameter, 1" rise, 19mm diameter on the grip area (kids hands specific)	New RIDE ALPHA PRODIGY BAR, 460mm width, 25.4mm diameter, 1" rise, 19mm diameter on the grip area (kids hands specific)
Grips	New COMMENCAL kids, BMX flange, 19mm internal diameter (kids hands specific)	New COMMENCAL kids, BMX flange, 19mm internal diameter (kids hands specific)	New COMMENCAL kids, BMX flange, 19mm internal diameter (kids hands specific)
Brakes	Kids V-brakes alloy with kids specific Tektro levers and Jagwire cables	Kids V-brakes alloy with kids specific Tektro levers and Jagwire cables	/
Shifter	/	/	/
Chain guide	/	/	/
Rear derailleur	/	/	/
Bottom Bracket	BSA 68mm, ball retainer	BSA 68mm, ball retainer	/
Cranks	Kids 114mm steel, 28t chainring with double chainguard	Kids 89mm steel, 28t chainring with chaincover	/
Chain	C-410 1/2"x1/8" black singlespeed	C-410 1/2"x1/8" black singlespeed	/
Cassette	16t freewheel	18t freewheel	/
Rims	COMMENCAL 16" alloy 6061-T6, 20h	COMMENCAL 14" alloy 6063, 20h	COMMENCAL 12" alloy 6063, 16h
Hubs	28 holes, QR front, nutted rear	20 holes, QR front, nutted rear	16 holes nutted hubs, rear hub disc ready
Spokes	2mm steel black - black nipples	2mm steel black - black nipples	2mm steel black - black nipples
Tires	VEETIRECO Crown Gem 16x2.25", skinnwalls	VEETIRECO Crown Gem 14x2.25", skinnwalls	VEETIRECO Crown Gem 12x2.25", skinnwalls
Seatposts	COMMENCAL, Alloy black, 27.2mm	COMMENCAL, Alloy black, 27.2mm, integrated with saddle	COMMENCAL, Alloy black, 27.2mm, integrated with saddle
Saddle	New Kids saddle, black	New Kids saddle, w/handle, black	New Kids saddle, w/handle, black
Accessories	Bell, lights, Pedals	Bell, lights, Pedals	Bell
Weight	7kg	7kg	4.4kg

	FRAME SUPREME DH V4.2 650B	Frame META HT AM Cr-Mo 650B
Frame	SUPREME V4 650b alloy 6066 hydroformed 220mm travel Commencal	META HT AM CrMo 650B, CrMo triple butted without Rear Axle
Shock	/	/
Head Parts	without , semi integrated, Commencal standard	ready to ZS44+EC44
ISCG05	ISCG05	/
Rear Axle	included (150x12mm P1.0)	/ (ready for Rockshox Maxle/Maxle Lite 142x12mm P1.75)
Weight	4.1kg (ユニット無し)	2.6kg



@COMMENCAL 2019



GEO RIDE JAPAN

株式会社 ジョライドジャパン

〒253-0072 神奈川県茅ヶ崎市今宿 293 番地 14
TEL : 0463-75-8751 FAX : 0463-75-8752
URL : <http://www.georide-japan.co.jp>

- 製品カラーは印刷の為、実物と多少異なる場合があります。
- 予告なく改良の為、仕様・価格を変更する場合があります。あらかじめご了承下さい。
- 本カタログ内の製品記載内容は、価格も含めて2018年12月現在のものです。
- このカタログに掲載している価格は消費税別価格です。
- 写真は日本入荷モデルと仕様異なる場合があります。
- 弊社は自転車販売店様への輸入卸業のため、ユーザー様への直接販売を行っておりません。
- 商品に関するお問い合わせ・クレーム等はご購入頂いた販売店様へお願い致します。

Selected COMMENCAL Dealer:

Blank area for listing selected COMMENCAL dealers.